

TOYOTA FULL PRODUCT LINE

- ▶ IC Cushion Forklifts
- ▶ IC Pneumatic Forklifts
- ▶ Electric Forklifts
- ▶ Order Pickers
- ▶ Reach Trucks
- ▶ Pallet Jacks
- ▶ Tow Tractors
- ▶ Automated Guided Vehicles



 **TOYOTA**
MATERIAL HANDLING U.S.A.

TOYOTA INDUSTRIAL EQUIPMENT

A NAME YOU CAN TRUST

Toyota entered the North American forklift market nearly 50 years ago and has manufactured over 500,000 forklifts in the United States. Toyota has been the top-selling forklift brand in the U.S. since 2002.

Toyota Industrial Equipment, with headquarters in Columbus, Indiana, is a full-service manufacturer and distributor of high-quality forklifts, reach trucks, order pickers, pallet jacks, tow tractors, and AGVs. Built on a reputation of excellence, Toyota remains popular due to its quality, durability, reliability, and overall value.

An additional mark of excellence is Toyota's dedication to safety. According to an independent research study conducted by Peerless Media Research Group, Toyota forklifts rank highest in safety, fewest safety-related incidents, and most affordable to maintain in terms of safety.

Quality is the hallmark of Toyota's world-renowned Toyota Production System, which is practiced at all Toyota manufacturing facilities, including Toyota Industrial Equipment Manufacturing, Inc. (TIEM) in Columbus, Indiana.

WORLD CLASS SUPPORT FROM THE WORLD'S BEST DEALERSHIP NETWORK

Toyota forklifts are backed by proven product support from an industry-leading network of more than 60 dealers at 220 locations that offer:

- ▶ Factory-trained service technicians
- ▶ Toyota Genuine Parts
- ▶ Flexible financing through Toyota Commercial Finance
- ▶ Forklift safety training
- ▶ Planned maintenance options
- ▶ Rental forklifts
- ▶ Fleet Management Solutions

PARTS & SERVICE

When it comes to parts and service, there's Toyota and then there's everybody else. Toyota is the only manufacturer that requires Automotive Service Excellences (ASE) certification - the automotive service industry standard - as part of its master certification program. This ensures your forklifts will be maintained by the best of the best - Toyota Certified Technicians.

ONE-STOP PARTS SHOP

All Toyota forklifts are built with Toyota Genuine Parts and accessories, so the best way to keep your Toyota running like a Toyota is to use Toyota Genuine Parts. For other makes and models of forklifts and other industrial equipment, Toyota offers STARLIFT Parts. Toyota dealers are your one-stop parts shop.



FLEET MANAGEMENT SOLUTIONS

Toyota has redefined the meaning of fleet support with management services as well as T-Matics MOBILE and T-Matics COMMAND. Do you have multiple locations? Do you have a very large fleet? Toyota can design a management solution for you.



T-Matics MOBILE is a forklift management system and is great for forklifts that are not limited to a single location. Data transfers are done through standard cellular technology.



T-Matics COMMAND is a robust forklift and forklift operator management system that transfers data through WiFi, but requires forklifts to remain in a single location.

CORE IC CUSHION

3,000 - 6,500 LBS

VERSATILITY VIP // The Core IC Cushion put Toyota forklifts on the map. Built for warehousing, distribution, manufacturing, and retail. The Toyota Core IC Cushion is equally at home in any of them, and nimble enough to navigate aisles as narrow as 12'.



MODEL	LOAD CAPACITY* (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
8FGCU15	3,000	48/2,250	10.9	110	43	83.5
8FGCU18	3,500	48/2,250	10.9	110	40	86
8FGCSU20	4,000	48/2,250	10.9	110	35	87.6
8FGCU20	4,000	51/2,570	10.6	120	36	92.3
8FGCU25	5,000	51/2,570	10.6	120	31	94.3
8FGCU30	6,000	51/2,570	10.6	98	25	97.5
8FGCU32	6,500	51/2,570	10.6	98	25	98.8

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

LARGE IC CUSHION

8,000 - 15,500 LBS

WELCOME TO THE BIG TIME // The Toyota Large IC Cushion is built to tackle your toughest loads while using less fuel, producing fewer emissions, navigating 13- and 14-foot aisles, and providing up to 240" of lift. Meet your indoor heavy load solution.



MODEL	LOAD CAPACITY* (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
8FGCU35U	8,000	84/2,350	11.8	100	47	107.5
8FGC45U	10,000	84/2,350	11.8	98	37	112
8FGC55U	12,000	89/2,550	13	91	34	118
8FGC60U	13,500	89/2,550	13	81	31	123
8FGC70U	15,500	89/2,550	13	81	28	123

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

PAPER ROLL SPECIAL

12,000 LBS

PAPER, HANDLED // Paper handling presents exacting demands. The Toyota Paper Roll Special meets them, safely and efficiently. Equipped to stack and maneuver heavy paper rolls, it's the perfect solution for paper mills, printing plants, newspaper production, and similar applications.



MODEL	LOAD CAPACITY* (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
8FGC55U-PRS	12,000	89/2,550	13	85	34	114.4

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

BOX CAR SPECIAL

8,000 - 12,000 LBS

THINK INSIDE THE BOX // The Toyota Box Car Special features a vertically extended counterweight and mast height under 90" - a high-capacity forklift that can comfortably squeeze into rail cars and other tight spaces. Think big and small at the same time.



MODEL	LOAD CAPACITY* (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
8FGC35U-BCS	8,000	84/2,350	11.8	100	47	100
8FGC45U-BCS	10,000	84/2,350	11.8	98	37	106
8FGC55U-BCS	12,000	89/2,550	13	91	34	112

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

CORE IC PNEUMATIC

3,000 - 6,500 LBS

GREAT OUTDOORS // Take on the most demanding jobs - construction sites, lumberyards, indoor/outdoor warehouses. With the Toyota Core IC Pneumatic, the stability and power are in your hands. Get ready to get stuff done.



MODEL	LOAD CAPACITY* (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
8FGU15	3,000	51/2,570	11.5	131	45	91.9
8FDU15	3,000	53/2,200	11.8	128	45	91.9
8FGU18	3,500	51/2,570	11.5	131	45	93.9
8FDU18	3,500	53/2,200	11.8	128	45	93.9
8FGU20	4,000	51/2,570	10.9	118	41	103.2
8FDU20	4,000	55/2,500	11.8	121	39	103.2
8FGU25	5,000	51/2,570	10.9	118	34	105.9
8FDU25	5,000	55/2,500	11.8	121	33	105.9
8FGU30	6,000	57/2,570**	11.2	100	26	111.6
8FDU30	6,000	57/2,570	11.2	100	26	111.6
8FGU32	6,500	57/2,570**	11.2	100	26	112.4
8FDU32	6,500	55/2,500	11.5	98	28	112.4

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

MID IC PNEUMATIC

8,000 - 11,000 LBS

A HARD DAY'S WORKHORSE // Long, hard days and big, heavy loads. The powerful, durable Toyota Mid IC Pneumatic makes light work of both, giving you more muscle to keep going as long as it takes.



MODEL	LOAD CAPACITY* (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
8FG35U	8,000	87/2,350	13.7	103	42	122.5
8FD35U	8,000	74/2,200	13.1	103	43	122.5
8FG40U	9,000	87/2,350	13.7	103	38	124.5
8FD40U	9,000	74/2,200	13.1	103	39	124.5
8FG45U	10,000	87/2,350	13.7	94	34	129.5
8FD45U	10,000	74/2,200	13.1	94	35	129.5
8FG50U	11,000	87/2,350	13.7	94	31	132.5
8FD50U	11,000	74/2,200	13.1	94	31	132.5

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

LARGE IC PNEUMATIC

13,500 - 17,500 LBS

HAUL-IT-ALL TERRAIN VEHICLE // Heavy loads and variable outdoor terrain. The rugged, surefooted Toyota Large IC Pneumatic handles both with ease. That's why it's a power player on construction sites, lumberyards, brick and stone distribution centers, and more.



MODEL	LOAD CAPACITY* (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
8FG60U	13,500	93/2,550	11.8	81	34	150
8FD60U	13,500	74/2,200	11.8	81	34	150
8FG70U	15,500	93/2,550	11.8	81	30	152
8FD70U	15,500	74/2,200	11.8	81	30	152
8FG80U	17,500	93/2,550	11.8	81	26	154
8FD80U	17,500	74/2,200	11.8	73	26	154

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

HIGH-CAPACITY IC PNEUMATIC (THD)

22,000 - 72,000 LBS

THINK BIGGER // Ideal for a wide variety of heavy-duty applications, including ports, construction sites, brick, block and pipe, forging, and manufacturing. The rugged THD High-Capacity IC Pneumatic can handle almost any heavy load, even in the most challenging conditions.



MODEL	LOAD CAPACITY (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	LOAD CENTER (IN)
THD2200-24	22,000	160/2,500	23	64.1	30	24
THD2400-24	24,000	160/2,500	23	64.1	29	24
THD2600-24	26,000	160/2,500	23	64.1	27	24
THD2800-24	28,000	160/2,500	23	64.1	26	24
THD3000-24	30,000	160/2,500	23	64.1	24	24
THD3300-24	33,000	160/2,500	23	64.1	24	24
THD3300S-24	33,000	160/2,500	23	64.1	23	24
THD3600-24	36,000	160/2,500	23	64.1	22	24
THD3600S-24	36,000	160/2,500	23	64.1	21	24
THD3600-36	36,000	160/2,500	23	53.2	20	36
THD3600S-36	36,000	160/2,500	23	53.2	19	36
THD3600-48	36,000	160/2,500	23	53.2	19	48
THD4000-48	40,000	160/2,500	23	53.2	18	48
THD4500-48	45,000	240/2,500	24.9	53.2	19	48
THD4500S-48	45,000	240/2,500	24.9	53.2	18	48
THD5000-48	50,000	240/2,500	24.9	32.7	17	48
THD5200-48	52,000	240/2,500	24.9	32.7	17	48
THD5500-48	55,000	240/2,500	24.9	32.7	16	48
THD6000-48	60,000	240/2,500	21.1	32.7	18	48
THD6500-48	65,000	240/2,500	21.1	32.7	17	48
THD7000-48	70,000	240/2,500	21.1	25.0	14	48
THD7200-48	72,000	240/2,500	21.1	25.0	14	48

HIGH-CAPACITY IC PNEUMATIC (4FD)

22,000 - 51,000 LBS

HEAVY HITTER // You call them lumberyards, construction sites, ports, and docks. The High-Capacity IC Pneumatic calls them home. Built tough to thrive in outdoor environments, built strong to handle your most demanding applications.



MODEL	LOAD CAPACITY (LBS)	ENGINE HP/RPM NET (SAE HP)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	LOAD CENTER (IN)
4FD100	22,000	168/2,300	17.4	91	54	24
4FD115	25,000	168/2,300	17.4	89	58	24
4FD120	26,000	168/2,300	17.4	89	58	24
4FD135	30,000	168/2,300	17.4	69	54	24
4FDK150	33,000	168/2,300	17.4	67	54	24
4FD150	33,000	172/2,300	16.8	80.7	42	36
4FDK160	35,000	168/2,300	18.0	67	59	24
4FD180	40,000	172/2,300	16.8	68.9	46	36
4FD200	44,000	172/2,300	17.4	67.9	26	36
4FD230	51,000	172/2,300	16.8	59.1	23	36

80V ELECTRIC PNEUMATIC

4,000 - 7,000 LBS

PEAK ELECTRIC PERFORMER // The Toyota 80V Electric Pneumatic holds its own against mid-capacity IC forklifts, even for rugged outdoor applications. The perfect pairing for wineries, orchards, and other agricultural applications.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
05-8FBM20T	4,000	80	11.8	96	26	95.4
05-8FBMK25T	5,000	80	11.8	91	25	95.4
05-8FBM25T	5,000	80	11.8	91	24	100.7
05-8FBMK30T	6,000	80	11.8	75	21	97.3
05-8FBM30T	6,000	80	11.8	75	22	102.6
05-8FBM35T	7,000	80	11.8	69	19	101.5

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

ELECTRIC PNEUMATIC

3,000 - 7,000 LBS

IC PERFORMANCE, AC EFFICIENCY // The Toyota Electric Pneumatic was the first Toyota forklift to harness the benefits of AC power and the System of Active Stability and is a shining example of Toyota's continuing quest for excellence.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
7FBH15	3,000	48	9	83	19	85.6
7FBH18	3,500	48	9	73	17	86
7FBH20	4,000	48	9	71	19	94.5
7FBH25	5,000	48	8.7	67	16	95.7
7FB30	6,000	80	8.7	63	16	106.1
7FBJ35	7,000	80	8.1	53	14	109.1

* BASED ON 24" LOAD CENTER.

** BASED ON 48" L x 40" W PALLET. ADD LOAD CLEARANCE.

3-WHEEL ELECTRIC CUSHION OR PNEUMATIC

3,000 - 4,000 LBS

COMFORTABLE OUT IN FRONT // More than 30 advances make the Toyota 3-Wheel Electric more versatile than ever. Welcome to a whole new world of uptime, productivity, and industry-leading performance. Spend less time on maintenance and more time getting things done.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	OUTSIDE TURNING RADIUS (IN)
8FBES15U	3,000	36/48	9.9	77	27	58.3
8FBES15U	3,000	36/48	9.9	77	25	55.1
8FBES18U	3,500	36/48	9.9	71	24	60.5
8FBEH18U	3,500	36/48	9.9	71	24	62.8
8FBE20U	4,000	36/48	9.7	67	22	62.8

* BASED ON 24" LOAD CENTER.

** BASED ON 48" L x 40" W PALLET. ADD LOAD CLEARANCE.

*** "H" MODEL UTILIZES A LARGER BATTERY COMPARTMENT.

CORE ELECTRIC

3,000 - 6,500 LBS

INDOOR POWER PLAY // It's big on small space productivity, carrying up to 6,500 lbs and lifting up to 276". Clean, quiet AC power reduces emission worries, making the Toyota Core Electric a top choice to sensitive food and beverage applications, among other inside jobs.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
7FBCU15	3,000	36/48	9.0/10.9	61/85	20	82.1
7FBCU18	3,500	36/48	8.7/10.6	61/81	18	82.1
8FBCU20	4,000	36/48	9.9/11.5	67/89	25	87.2
8FBCU20-COMP	4,000	36/48	9.9/11.5	67/89	25	85.2
8FBCU25	5,000	36/48	9.6/11.5	59/79	21	87.6
8FBCU25-COMP	5,000	36/48	9.6/11.5	59/79	21	85.6
8FBCU25	5,000	36/48	9.6/11.5	59/79	21	93.1
8FBCU28	5,500	36/48	9.3/11.5	55/73	17	90.3
8FBCU30	6,000	36/48	9.0/11.2	51/69	17	94.9
8FBCU32	6,500	36/48	9.0/11.2	47/65	17	96.4

* BASED ON 24" LOAD CENTER.

** BASED ON 48" L x 40" W PALLET. ADD LOAD CLEARANCE.

*** "H" MODEL UTILIZES A LARGER BATTERY COMPARTMENT.

LARGE ELECTRIC

8,000 - 12,000 LBS

PROVEN POWERHOUSE // The Toyota Large Electric gets the job done, quietly and reliably. With the strength to lift up to 12,000 lbs, and the rugged durability to stand up to the test of time. The dependable, zero-emission AC drive system powers you through long shifts.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
7FBCU35	8,000	36/48	8.4/10.9	51/73	16	102.6
7FBCU45	10,000	36/48	7.8/10.9	43/57	13	106.7
7FBCU55	12,000	36/48	7.5/9.0	30/53	14	116.9

* BASED ON 24" LOAD CENTER.

** ADD LOAD LENGTH AND CLEARANCE.

STAND-UP RIDER

3,000 - 4,000 LBS

DOCK-TO-STOCK STAR // Narrow aisles and tight trailers are taken care of. The Toyota Stand-Up Rider was built to fit in and stand out - working in aisles as narrow as 10 feet, carrying up to 4,000 lbs, and reaching lift heights up to 276".



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM GRADEABILITY FULL LOAD (%)	BASIC RIGHT ANGLE STACK** (IN)
8BNCU15	3,000	36	7.5	70	15	68.8/70.8
8BNCU18	3,500	36	7.5	65	15	68.8/70.8
8BNCU20	4,000	36	7.5	60	15	70.8/73.5

* BASED ON 24" LOAD CENTER.

6-SERIES ORDER PICKER

3,000 LBS

HIGH PERFORMANCE, TO ORDER // Built to handle the most demanding warehouse and distribution center applications, the Toyota 6-Series Order Picker is the solution for custom order picking in your unique work environment.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	BASELEGS OVERALL WIDTH (IN)	BATTERY COMPARTMENT WIDTH (IN)	MAXIMUM FORK HEIGHT (IN)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM LOWER SPEED FULL LOAD (FPM)
6BPUE15	3,000	24	40 - 56	14.5	V to 241 FSV to 315	5.5	36	80

* BASED ON 24" LOAD CENTER.

7-SERIES ORDER PICKER

3,000 LBS

PROVEN PICK-UP ARTIST // Innovative and cost-effective, the Toyota 7-Series Order Picker is a value option ideal for general warehouse applications without complicated or custom racking. Delivering maximum performance, lasting through long work cycles, making order picking easy and efficient.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	BASELEGS OVERALL WIDTH (IN)	BATTERY COMPARTMENT WIDTH (IN)	MAXIMUM FORK HEIGHT (IN)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM LOWER SPEED FULL LOAD (FPM)
7BPUE15	3,000	24	40	14.5	V to 241 FSV to 240	5.0	30	70

* BASED ON 24" LOAD CENTER.

REACH TRUCK

2,500 - 4,500 LBS

EXTEND YOUR REACH // The Toyota Reach Truck is big on productivity and performance in warehouses, distribution centers, and manufacturing plants where space is at a premium. Longer maintenance intervals keep the forklift on the floor longer for more uptime.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	BASELEGS OVERALL WIDTH (IN)	BATTERY COMPARTMENT WIDTH (IN)	MAXIMUM FORK HEIGHT (IN)	MAXIMUM TRAVEL SPEED FULL LOAD (MPH)	MAXIMUM LIFT SPEED FULL LOAD (FPM)	MAXIMUM LOWER SPEED FULL LOAD (FPM)
9BDRU13	2,500	24	43 - 60	14.5 16.5	up to 264	6.5	40	110
9BDRU15	3,000	36	43 - 60	16.5 18.5 21.5	up to 302	7.5	75	110
9BRU18	3,500	24/36	44 - 61	14.5 16.5 18.5	up to 301	6.5/7.5	40/70	110
9BRU23	4,500	36	44 - 61	16.5 18.5 21.5	up to 301	7.5	65	110

* BASED ON 24" LOAD CENTER.

ELECTRIC WALKIES/RIDERS

4,500 - 8,000 LBS

GOES THE DISTANCE // Toyota Electric Walkies/Riders are designed to deliver, even when the going gets tight. Narrow aisles? No problem. Designed with the power and maneuverability to handle heavy loads, and ergonomic designs that maximize operator comfort. Goods, delivered. Job, well done.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	MAX. TRAVEL SPEED FULL LOAD (MPH)	RIGHT ANGLE** STACK (48" FORKS 48" W PALLET)	
Electric Walkie	8HBW23	4,500	24	3.6	85.3
	8HBW30	6,000	24	3.7	81.2
End-Controlled Walkie/Rider	8HBE30	6,000	24	6.2	85.4
	8HBE40	8,000	24	6.2	128.7***
Center-Controlled Rider	8HBC30	6,000	24	6.2	98.8
	8HBC40	8,000	24	6.2	141.3***

* BASED ON 24" LOAD CENTER.

** ADD LOAD CLEARANCE.

*** 84" FORK LENGTH.

WALKIE STACKERS/REACH

2,000 - 4,000 LBS

THEY REALLY STACK UP // Toyota Walkie Stackers/Reach trucks are designed to meet the needs of everyday material-handling duties. Top-line durability and operator-friendly ergonomic designs make your warehouse or distribution center even more productive.



MODEL	LOAD CAPACITY* (LBS)	VOLTAGE (V)	BASELEGS OPENING I.D. (IN)	MAX. TRAVEL SPEED FULL LOAD (MPH)	MAX. LIFT SPEED FULL LOAD (FPM)	MAX. LOWER SPEED FULL LOAD (FPM)	BASIC RIGHT ANGLE STACK** (IN)	
Walkie Stacker	8BWS10	2,000	24	33 - 51	3.4	20 - 28	42 - 53	80.6
	8BWS13	2,500	24	33 - 51	3.4	19 - 27	43 - 54	88.6
Industrial Stacker	6BWS11	2,200	24	32 - 50	2.9	32	60	81
	6BWS15	3,000	24	32 - 50	2.9	32	60	85
	6BWS20	4,000	24	32 - 50	2.6	27	60	88
Counter-Balanced Stacker	6BWC10	2,000	24	-	2.9	37	60	111
	6BWC15	3,000	24	-	3.0	32	60	116
	6BWC20	4,000	24	-	2.8	27	60	122
Walkie Reach Truck	6BWR15	3,000	24	32 - 50	2.8	29	60	91

* BASED ON 24" LOAD CENTER.

** BASED ON 48" L x 40" W PALLET. ADD LOAD CLEARANCE.

HAND PALLET JACK

5,500 LBS

SMOOTH MOVES // Simple material-handling jobs? Handled. Built tough for challenging environments, the Toyota Hand Pallet Jack makes light work of pulling product through your warehouse or distribution center. Keep things moving - comfortably and efficiently.



MODEL	FORK LENGTH (IN)	OVERALL WIDTH (IN)	LOWERED HEIGHT (IN)	A-FRAME TO LOAD WHEEL (LOWERED) (IN)	A-FRAME TO LOAD WHEEL (RAISED) (IN)	OVERALL LENGTH (IN)	LOAD CENTER (IN)	TURNING RADIUS (IN)
	36	20.5	3	31.5	29.9	50.6	18	45
	36	27	3	31.5	29.9	50.6	18	45
HPT25	42	20.5	3	37.4	35.9	56.6	21	51.3
	42	27	3	37.4	35.9	56.6	21	51.3
	48	20.5	3	43.5	41.9	62.6	24	57.1
	48	27	3	43.5	41.9	62.6	24	57.1

TOW TRACTORS

8,800 - 55,100 LBS

BIG ON PULL // Whether you're in it for the long haul direct or with multiple stops en-route, Toyota's line of Tow Tractors is up to the job. Available in a variety of capacities and configurations, the line features tow tractors with great acceleration, productivity-boosting ergonomics, and long-term dependability.



MODEL	TOWING CAPACITY (LBS)	DRAWBAR PULL (LBS)	VOLTAGE (V)	MAXIMUM TRAVEL SPEED NO LOAD (MPH)	OVERALL LENGTH W/O TOW HITCH (IN)	OVERALL WIDTH (IN)	OVERALL HEIGHT (IN)
8TB50	10,000	750	24	5.8	53.3	32.5	49.8
CBT4Y	8,800	880	48	8.4	63.6	38	46.7
CBT4	8,800	880	48	8.4	74	38	49.2
CBT6	13,200	990	48	11.2	74	38	49.2
2TE15	44,100	880	80	15.6	133.7	55.9	50.4
2TE18	55,100	1,100	80	17.5	133.7	55.9	50.4

TUG-CART MOUSE AGV

3,000 - 4,000 LBS

ONE MIGHTY MOUSE // Your path to increased productivity, automated. The Tug-Cart Mouse AGV fits into tight areas, shares aisles with pedestrians and forklift traffic, and adapts easily to future change.



MODEL	LOAD CAPACITY (LBS)	VOLTAGE (V)	OVERALL AGV LENGTH (IN)	OVERALL AGV WIDTH (IN)	OVERALL AGV HEIGHT (IN)	MAXIMUM SPEED (M/MIN)
MOLE 3A5SN	3,000	24	40	14	12	50
MOLE 3A8SN	3,000	24	40	14	12	33
MOUSE 3A10N	3,500	24	72	14	7	50
MOUSE 3A15N	3,500	24	72	14	7	33
MOUSE 3AB10N	4,000	24	91	14	7	50
MOUSE 3AB15N	4,000	24	91	14	7	33

L-CART AGV

550 - 1,764 LBS

AUTOMATED EFFICIENCY-BOOSTER // The L-Cart AGV excels at tedious, repetitive material-handling tasks - reducing labor costs and human error in the process. Maneuvering precisely through narrow aisles and manufacturing plants, it's an ideal automated delivery solution.



MODEL	LOAD CAPACITY (LBS)	VOLTAGE (V)	OVERALL AGV LENGTH (IN)	OVERALL AGV WIDTH (IN)	OVERALL AGV HEIGHT (IN)	MAXIMUM SPEED (M/MIN)
ACBE 2.5S	551	24	13.8	13.9	9.4	60
ACBE 2.5D	882	24	13.8	13.9	9.4	60
ACBE 5.0S	1102	24	13.8	13.9	9.4	30
ACBE 5.0D	1764	24	13.8	13.9	9.4	30

COUNT ON **THE LEADER**

- ▶ Toyota leads in quality, durability, reliability and value, thanks to advanced technology and the world-renowned Toyota Production System.
- ▶ With the broadest and most complete set of material-handling solutions in the industry, Toyota Dealers specialize in meeting all of your needs - from a single forklift to an entire fleet.
- ▶ Toyota's industry-leading network of dealers backs every forklift with proven product support. Resources include factory-trained service technicians, Toyota Genuine Parts, and flexible leasing and financing packages through Toyota Commercial Finance.
- ▶ Toyota forklifts have ranked No. 1 in safety and quality since 2002, according to studies conducted by Peerless Research Group.

For more information, including full specs, see your Toyota Dealer or ToyotaForklift.com.



INDUSTRIAL EQUIPMENT

REACH NEW HEIGHTS