




Read Operation Instructions  
before using the machine.




Read the Safety Messages  
before using the machine.




---


|                                                    |    |
|----------------------------------------------------|----|
| Front Wheel Drive.....                             | 4  |
| Side Brooms .....                                  | 5  |
| Front Wheel, Side Brooms, and Side Rollers .....   | 6  |
| Steering Column.....                               | 8  |
| Squeegee Trail Arm - Standard .....                | 9  |
| Attaching Squeegee Trail Arm and Rear axle.....    | 11 |
| Attaching Decks.....                               | 12 |
| Disk Shrouds .....                                 | 13 |
| Disk Decks.....                                    | 14 |
| Cylindrical Decks .....                            | 16 |
| Cylindrical Wipers.....                            | 18 |
| Cylindrical Doors .....                            | 19 |
| EDGE Decks .....                                   | 20 |
| EDGE Deck Wipers .....                             | 23 |
| Attaching Squeegee Trail Arm, Bumper, & Axle ..... | 24 |
| Solution System.....                               | 25 |
| ZERO3 System .....                                 | 26 |
| ZERO3 System .....                                 | 27 |
| Suds System .....                                  | 28 |
| Solution Tank.....                                 | 29 |
| Recovery Tank.....                                 | 30 |
| Rear Options .....                                 | 31 |
| Vacuum Motor Assembly .....                        | 32 |
| Tank Baffle Assembly .....                         | 33 |
| Attaching Tanks & Batteries.....                   | 34 |
| 29" Cylindrical Doors .....                        | 35 |
| 33" & 34" Cylindrical Doors .....                  | 36 |
| Legacy Central Command.....                        | 37 |
| Military Central Command.....                      | 39 |
| Touch Central Command.....                         | 41 |
| Squeegee Assembly.....                             | 43 |
| Common Wear Parts .....                            | 44 |
| Schematics - Legacy .....                          | 46 |
| Schematics - Touch Screen.....                     | 47 |
| Schematics - Military .....                        | 48 |
| Decals.....                                        | 49 |



| Item | Part No.    | Part Description                       | Qty. |
|------|-------------|----------------------------------------|------|
| 1    | 250-7326    | PIVOT PLATE                            | 1    |
| 2    | 250-7327    | 48 TOOTH STEERING CHAIN                | 1    |
| 3    | 250-7328    | WIRE GUIDE                             | 1    |
| 4    | 37-7318     | TAPERED BEARING CUP                    | 2    |
| 5    | 37-7321     | SLOTTED NUT, 2.0 - 12                  | 1    |
| 6    | 370-7317    | TAPERED ROLLER BEARING                 | 2    |
| 7    | 370-8374    | BEARING SEAL                           | 1    |
| 8    | 5-826       | 10 TOOTH SPROCKET 5/8 SHAFT            | 1    |
| 9    | 5-831       | MASTER LINK                            | 1    |
| 10   | 500-7231-01 | BEARING BLOCK                          | 1    |
| 11   | 500-7314    | 48 TOOTH STEERING SPROCKET             | 1    |
| 12   | 600-7120    | STEERING SHAFT, LOWER                  | 1    |
| 13   | 600-7230    | BEARING BLOCK                          | 1    |
| 14   | 600-7310    | 10" METAROTA DRIVE                     | 1    |
| 15   | 600-7316    | FRONT DRIVE DROP PLATE                 | 1    |
| 16   | 600-7324    | BRAKE COVER                            | 1    |
| 17   | 600-7332    | STEERING SPINDLE                       | 1    |
| 18   | 8-713       | 1 1/2" THRUST WASHER                   | 2    |
| 19   | H-0129158   | JNLY 3/8- 16 SS                        | 2    |
| 20   | H-01343     | 1/8" X 1/8" X 3/4" KEY                 | 1    |
| 21   | H-0170132   | FHP 1/4"- 20 X 2-3/4"                  | 4    |
| 22   | H-0171294   | BHSCS 5/16-18 X 3.5                    | 2    |
| 23   | H-0185382   | BHSCS 3/8"- 24 X 1-3/4" SS             | 2    |
| 24   | H-11103201  | SHCS M4-0.7 x 35mm ZINK                | 4    |
| 25   | H-11115680  | FB CASHD M10-1.5 X 30mm                | 4    |
| 26   | H-11125723  | 8-32 x 5/16 x 1/4 Male-Female Standoff | 2    |
| 27   | H-25306     | SSS CP #10-32 X 1/4"                   | 6    |
| 28   | H-33376     | SHAFT COLLAR, 3/4" ID X 9/16 LG        | 1    |
| 29   | H-68013     | SNAPRING                               | 1    |
| 30   | H-70053     | HCS 5/16"- 18 X 3/4" SS                | 2    |
| 31   | H-70710     | HN 1/4"- 20 SS                         | 1    |
| 32   | H-70711     | HN 5/16"- 18 SS                        | 2    |
| 33   | H-70732     | HN 3/8"- 24 SS                         | 7    |
| 34   | H-70860     | NYLON 1/4"- 20 SS                      | 5    |
| 35   | H-71015     | FW 5/16 ID X 3/4 OD SS                 | 6    |
| 36   | H-71063     | LW 1/4" SS                             | 1    |
| 37   | H-71065     | LW 5/16" SS                            | 3    |
| 38   | H-71174     | HCS 1/4-20 X 2.25" SS                  | 1    |
| 39   | H-72394     | PPH #8-32 X 1/4in SS                   | 1    |
| 40   | H-73560     | SHCS 3/8"- 24 X 1 1/4" SS              | 1    |
| 41   | H-73830     | BHSCS 3/8"- 24 X 1-1/4" SS             | 4    |
| 42   | H-74419     | CB 1/4"- 20 X .75" SS                  | 1    |
| 43   | H-81983     | 5/16"-18 X 1/4" KURL SET SCREW         | 1    |
| 44   | M-5233K66   | CLEAR TUBING                           | 1    |
| 45   | M-9381T24   | S-HOOK                                 | 1    |








| Item | Part No.  | Part Description                          | Qty. |
|------|-----------|-------------------------------------------|------|
| 1    | 250-0222  | ILHI SIDE BROOM MOTOR, 36V 106 RPM (44:1) | 1    |
| 2    | 250-0223  | IRHI SIDE BROOM MOTOR, 36V 106 RPM (44:1) | 1    |
| 3    | 4-4230    | 3/4" X 1" X 1/2" FLG BEARING              | 2    |
| 4    | 600-4420  | IRHI GTX SIDE BROOM LIFT ARM              | 1    |
| 5    | 600-4620  | SIDE BROOM AXLE SHAFT                     | 1    |
| 6    | 650-2210  | 2.0" STROKE ACTUATOR (36V 900Nm)          | 1    |
| 7    | 650-4421  | ILHI SIDE BROOM LIFT ARM                  | 1    |
| 8    | 650-4630  | SIDE BROOM AXLE BRACKET ILHI              | 1    |
| 9    | 650-4631  | SIDE BROOM AXLE BRACKET IRHI              | 1    |
| 10   | 700-0010  | SIDE BROOM ACTUATOR SPACER                | 2    |
| 11   | 700-1005  | BRACKET, SIDEBROOM, LIFTING               | 1    |
| 12   | 700-4422  | SIDE BROOM PIVOT                          | 1    |
| 13   | H-0156763 | 4375 X 2.0 CLEVIS                         | 1    |
| 14   | H-0156951 | 7/16" X 4.0" CLEVIS PIN                   | 1    |
| 15   | H-33376   | SHAFT COLLAR, 3/4" ID X 9/16 LG           | 1    |
| 16   | H-70861   | NYLOK 5/16" - 18 SS                       | 2    |
| 17   | H-71019   | FW 7/16 ID X 1-1/8 OD SS                  | 2    |
| 18   | H-71063   | LW 1/4" SS                                | 1    |
| 19   | H-72704   | FHP 1/4" - 20 X 1/2" SS                   | 2    |
| 20   | H-73752   | BHSCS 1/4 - 20 X 1/2" SS                  | 4    |
| 21   | H-74401   | CB 5/16" - 18 X 1-3/4" SS                 | 2    |
| 22   | H-74431   | CB 5/16" - 18 X 1-1/4" SS                 | 2    |
| 23   | H-81983   | 5/16"-18 X 1/4" KURL SET SCREW            | 1    |
| 24   | H-RUE76   | rue ring cotter .4375                     | 2    |


## Front Wheel, Side Brooms, and Side Rollers




| Roller Bracket Usage Chart |          |         |
|----------------------------|----------|---------|
| 21-1126                    | 22-1126  | 28-1125 |
| 24" Edge                   | 32" Edge | 37" CYL |
| 28" Disk                   | 33" CYL  |         |
| 28" Edge                   | 34" Disk |         |
| 29" CYL                    |          |         |
| 30" Disk                   |          |         |

## Front Wheel, Side Brooms, and Side Rollers


| Item | Part No.  | Part Description        | Qty. |
|------|-----------|-------------------------|------|
| 1*   | 21-1126   | ROLLER BRACKET          | 2    |
| 2    | 21-1127   | ROLLER                  | 8    |
| 3    | 370-2940  | HORN                    | 1    |
| 4    | 4-457     | ADJUSTMENT KNOB         | 2    |
| 5    | 500-1028  | LOWER ROLLER BRACKET    | 2    |
| 6    | 500-2910  | HEAD LIGHT              | 2    |
| 7    | 600-1101  | MAIN FRAME              | 1    |
| 8    | H-00918   | HCN 1/4"-20 LG          | 7    |
| 9    | H-01205   | SHCS 5/16-18 X 2-1/2 SS | 2    |
| 10   | H-0127294 | 3/4" LOOP CLAMP         | 1    |
| 11   | H-11319   | HB 5/8"- 11 X 4"        | 2    |
| 12   | H-11321   | HB 5/8"- 11 X 4 1/2"    | 2    |
| 13   | H-13327   | HB 5/8"- 11 X 7"        | 2    |
| 14   | H-312HCN  | HCN 5/16"-18            | 2    |
| 15   | H-3225T   | 1-1/2" LOOP CLAMP       | 1    |
| 16   | H-37038   | JNYL 5/8"- 11           | 3    |
| 17   | H-70003   | HCS 1/4"-20 X 3/4" SS   | 7    |
| 18   | H-70711   | HN 5/16"- 18 SS         | 2    |
| 19   | H-70860   | NYLOK 1/4"- 20 SS       | 9    |
| 20   | H-70861   | NYLOK 5/16" - 18 SS     | 7    |
| 21   | H-70866   | NYL 5/8"- 11            | 2    |
| 22   | H-70925   | KN 1/4-20 S/S           | 2    |
| 23   | H-71013   | FW 1/4 ID X 5/8 OD SS   | 6    |
| 24   | H-71015   | FW 5/16 ID X 3/4 OD SS  | 5    |
| 25   | H-71063   | LW 1/4" SS              | 6    |
| 26   | H-71065   | LW 5/16" SS             | 9    |
| 27   | H-73883   | FHP 1/4"- 20 X 1" SS    | 5    |
| 28   | H-74419   | CB 1/4"- 20 X .75" SS   | 5    |
| 29   | H-74420   | CB 1/4"- 20 X 1.0" SS   | 1    |
| 30   | H-74430   | CB 5/16"- 18 X 1" SS    | 9    |
| 31   | M-6448K81 | 15/16" HEX CAP          | 2    |




| Item | Part No. | Part Description               | Qty. | Item | Part No.  | Part Description                             | Qty. |
|------|----------|--------------------------------|------|------|-----------|----------------------------------------------|------|
| 1*   | 1051     | SUB # 7006 2X4 CENTRAL COMMAND | 1    | 15   | H-01125   | 3/16" X 1" KEY                               | 2    |
| 2*   | 21-1127  | ROLLER                         | 1    | 16*  | H-0172519 | CB #10-32 X 5/8" SS                          | 1    |
| 3*   | 21-1601  | 1/2" BARBED ELBOW (PLASTIC)    | 1    | 17*  | H-0172521 | CB #10-32 X 1" SS                            | 2    |
| 4    | 290-1173 | DRIVE COVER                    | 1    | 18*  | H-04763   | ELBOW, 90 DEG X 3/8" MNPT X 1/2" BARB, NYLON | 1    |
| 5    | 290-7090 | STEERING SHAFT, UPPER          | 1    | 19*  | H-081     | CLAMP 7/16" - 25/32" SS                      | 1    |
| 6    | 290-7110 | U-JOINT                        | 1    | 20*  | H-1032HCN | HCN #10-32                                   | 6    |
| 7    | 290-7111 | 1/4-28 ZERK FITTING            | 1    | 21   | H-25379   | SETSCREW, KCP, 1/4"-20 X 1/4"                | 3    |
| 8*   | 390      | SUB #390 JAW ROLLER            | 1    | 22   | H-312HCN  | HCN 5/16"-18                                 | 10   |
| 9*   | 430-8910 | PUMP, WATER JET, 36V           | 1    | 23   | H-33376   | SHAFT COLLAR, 3/4" ID X 9/16 LG              | 3    |
| 10*  | 500-2910 | HEAD LIGHT                     | 1    | 24   | H-70055   | HCS 5/16"- 18 X 1" SS                        | 11   |
| 11*  | 600-1612 | GTX HD NON SKID FLOOR PLATE    | 1    | 25*  | H-70866   | NYL 5/8" - 11                                | 1    |
| 12   | 8-701A   | STEERING COVER                 | 1    | 26   | H-71015   | FW 5/16 ID X 3/4 OD SS                       | 11   |
| 13   | 8-703    | STEERING WHEEL                 | 1    | 27   | H-71065   | LW 5/16" SS                                  | 11   |
| 14   | H-00282  | FW 1/4" NYLON                  | 6    | 28   | H-72536   | PPH #10-32 X 1" S/S                          | 6    |
|      |          |                                |      | 29   | H-73754   | BHSCS 1/4 - 20 X 3/4" SS                     | 6    |
|      |          |                                |      | 30*  | H-74430   | CB 5/16"- 18 X 1" SS                         | 3    |
|      |          |                                |      | 31   | H-81983   | 5/16" X 1/4" KURL SET SCREW                  | 3    |



| Item | Part No.  | Part Description               | Qty. |
|------|-----------|--------------------------------|------|
| 1    | 175-1001  | THREE IN ONE TOOL              | 1    |
| 2    | 175-4180  | YELLOW KNOB                    | 1    |
| 3    | 175-8420  | ADJUSTABLE LATERAL ARM BODY    | 1    |
| 4    | 175-9583  | ADJUSTABLE ROD END ILH THREAD  | 1    |
| 5    | 175-9584  | ADJUSTABLE ROD END IRH TREAD   | 1    |
| 6    | 500-7151  | SQUEEGEE TRAIL ARM             | 1    |
| 7    | 500-7613  | SQUEEGEE DRAG MOUNTING BRACKET | 1    |
| 8    | 600-7141  | SQUEEGEE SWING PLATE           | 1    |
| 9    | 600-7611  | SQUEEGEE TRIANGLE PLATE        | 1    |
| 10   | H-36904   | LH JN 5/16" - 18 SS            | 1    |
| 11   | H-4440024 | FW 3/8" X 3/4" NYLON           | 10   |
| 12   | H-70007   | HCS 1/4" - 20 X 1.25" SS       | 2    |
| 13   | H-70053   | HCS 5/16" - 18 X 3/4" SS       | 2    |
| 14   | H-70711   | JN 5/16" - 18 SS               | 1    |
| 15   | H-70858   | NYLOK #10-32 SS                | 1    |
| 16   | H-70860   | NYLOK 1/4" - 20 SS             | 2    |
| 17   | H-70861   | NYLOK 5/16" - 18 SS            | 6    |
| 18   | H-70862   | NYLOK 3/8"-16 SS               | 3    |
| 19   | H-71010   | FW #10 ID X 11/16 OD SS        | 1    |
| 20   | H-71017   | FW 3/8 ID X 7/8 OD SS          | 3    |
| 21   | H-72534   | PPH #10-32 X 3/4" S/S          | 1    |
| 22   | H-72685   | FHP 10-32 X 1" SS              | 2    |
| 23   | H-74429   | CB 5/16" - 18 X 3/4" SS        | 4    |
| 24   | H-74436   | CB 3/8" - 16 X 1.0" SS         | 3    |
| 25   | H-76061   | FW 1/4" NYLON                  | 2    |
| 26   | H-9540    | RUBBER BUMPER, 25/32"          | 2    |






## Attaching Squeegee Trail Arm and Rear axle

| Item | Part No.    | Part Description                 | Qty. |
|------|-------------|----------------------------------|------|
| 1    | 150-1006    | LIFTING BRACKET                  | 1    |
| 2    | 260-2469    | ACTUATOR ADAPTER                 | 1    |
| 3    | 290-6180    | REAR WHEEL (BLACK) TREADED       | 1    |
| 4    | 370-1247    | BUSHING 5/16 X 1/2 X 3/16        | 2    |
| 5    | 370-2930    | ALARM (91 dPal)                  | 1    |
| 6    | 600-1107    | BUMPER/STEP                      | 1    |
| 7    | 600-1271    | AXLE                             | 1    |
| 8    | 600-2210    | 2.0" STROKE ACTUATOR (36V 600Nm) | 1    |
| 9    | 600-7151    | OUTER AXLE SPACER                | 1    |
| 10   | 650-6170    | LUG NUT                          | 4    |
| 11   | 650-6173    | WHEEL HUB                        | 1    |
| 12   | H-0156763   | 7/16" X 3-1/2" CLEVIS PIN        | 1    |
| 13   | H-11567651  | HCS M12-1.75 X 40MM ZINK         | 1    |
| 14   | H-31810     | #10-16 X 1/2 DRILL TAP           | 1    |
| 15   | H-40171     | NYLOK M12-1.75 ZINC              | 1    |
| 16   | H-70858     | NYLOK #10-32 SS                  | 2    |
| 17   | H-70860     | NYLOK 1/4"- 20 SS                | 7    |
| 18   | H-70861     | NYLOK 5/16" - 18 SS              | 6    |
| 19   | H-71021     | FW 1/2 ID X 1-1/4 OD SS          | 1    |
| 20   | H-71071     | LW 1/2" SS                       | 5    |
| 21   | H-72416     | PPHMS #10-32 X 3/4" S/S          | 2    |
| 22   | H-73834     | BHSCS 1/2- 13 X 1" SS            | 1    |
| 23   | H-74422     | CB 1/4"- 20 X 1-1/2" SS          | 2    |
| 24   | H-74429     | CB 5/16"- 18 X 3/4" SS           | 6    |
| 25   | H-9540      | 1/2" RUBBER BUMPER, 25/32        | 2    |
| 26   | H-RUE76     | ruer ring cotter .4375           | 1    |
| 27   | M-3043T13   | 1/4-20 X 1.0" U-BOLT             | 2    |
| 28   | M-3608T24   | 6" GOLD GROUNDING CHAIN          | 1    |
| 29   | M-5909K36   | Needle-Roller Thrust Bearing     | 1    |
| 30   | M-98585A121 | 1 INCH EXTERNAL RETAINING RING   | 2    |






| Item | Part No. | Part Description       | Qty. |
|------|----------|------------------------|------|
| 1    | 250-1117 | FRONT GUARD - LH       | 1    |
| 2    | 250-1118 | FRONT GUARD - RH       | 1    |
| 3    | 250-1320 | CURTAIN BAND           | 1    |
| 4    | 600-1311 | CYLINDRICAL CURTAIN    | 1    |
| 5    | H-70860  | NYLOK 1/4"- 20 SS      | 1    |
| 6    | H-70861  | NYLOK 5/16"- 18 SS     | 1    |
| 7    | H-74419  | CB 1/4"- 20 X .75" SS  | 1    |
| 8    | H-74429  | CB 5/16"- 18 X 3/4" SS | 1    |









## Disk Decks




| Item | Part No.    | Part Description                                | Qty. |
|------|-------------|-------------------------------------------------|------|
| 1    | 10-00       | 10" ADJUSTABLE LATERAL ARM BODY                 | 1    |
| 2    | 150-5786    | STAR KNOB, 3/8-16 THREAD                        | 1    |
| 3    | 150-9583    | ADJUSTABLE ROD END (LH THREAD)                  | 1    |
| 4    | 150-9584    | ADJUSTABLE ROD END (RH TREAD)                   | 1    |
| 5    | 175-2700    | NEG INSULATOR POST (BLACK)                      | 1    |
| 6    | 175-2710    | POS INSULATOR POST (RED)                        | 2    |
| 7    | 250-1078    | 26/30 REAR DECK CURTAIN                         | 1    |
| 8    | 250-1081    | 26/30 REAR CURTAIN BAND                         | 1    |
| 9    | 250-1124    | 29" FRONT CURTAIN BAND                          | 1    |
| 10   | 250-1184    | SHROUD ADJ. KNOB (3/8-16 THREAD)                | 1    |
| 11   | 264-5003-01 | BRUSH DRIVER 8 LOBE                             | 1    |
| 12   | 264-5005    | DRIVER SPACER                                   | 1    |
| 13   | 300-4030    | LEVEL                                           | 1    |
| 14   | 370-1247    | BUSHING 5/16 X 1/2 X 3/16                       | 2    |
| 15   | 4-386       | LIFT LEVER SPRING                               | 1    |
| 16   | 5-124       | LATERAL ARM                                     | 1    |
| 17   | 5-446       | 1/2" PLASTIC BARB TEE                           | 1    |
| 18   | 5-447       | 1/2 NPT X 1/2" BARB ELBOW                       | 2    |
| 19   | 600-2240    | 3 INCH STROKE ACTUATOR (36V)                    | 1    |
| 20   | 600-9584    | LIFT ARM CROSS BAR                              | 1    |
| 21   | 650-1103    | DISK SCRUB DECK BRACKET                         | 1    |
| 22   | 650-1265    | SCRUB ARM BRACKET                               | 1    |
| 23   | 650-2220D   | MOTOR 36V 1.0 HP X 350 RPM, 2.2" SHAFT          | 1    |
| 24   | H-0129158   | JNYL 3/8- 16 SS                                 | 1    |
| 25   | H-0156759   | 3/8" X 4" CLEVIS PIN                            | 1    |
| 26   | H-0156951   | 7/16" X 4.0" CLEVIS PIN                         | 1    |
| 27   | H-0172519   | CB #10-32 X 5/8" SS                             | 10   |
| 28   | H-0172785   | FNW 1/4 ID X 11/16 OD SS                        | 1    |
| 29   | H-0175075   | LH HX JAM .50-20 SS                             | 1    |
| 30   | H-07005     | 1/2" NPT LOCKNUT                                | 4    |
| 31   | H-0708890   | HOLE PLUG, 7/8"                                 | 1    |
| 32   | H-081       | CLAMP 1.0"- 1-1/8" SS                           | 5    |
| 33   | H-13815     | HCS 3/8"- 16 X 2-1/2" ZINK (FULLY THREADED)     | 4    |
| 34   | H-4440040   | .375 ID X 1.125 OD RUBBER WASHER                | 2    |
| 35   | H-70055     | HCS 5/16"- 18 X 1" SS                           | 1    |
| 36   | H-70105     | HCS 3/8"- 16 X 1" SS                            | 4    |
| 37   | H-70834     | HX JAM .50-20 SS                                | 1    |
| 38   | H-70858     | NYLOK #10-32 SS                                 | 11   |
| 39   | H-70861     | NYLOK 5/16" - 18 SS                             | 18   |
| 40   | H-71015     | FW 5/16 ID X 3/4 OD SS                          | 6    |
| 41   | H-71065     | LW 5/16" SS                                     | 1    |
| 42   | H-71067     | LW 3/8" SS                                      | 8    |
| 43   | H-71071     | LW 1/2" SS                                      | 2    |
| 44   | H-71215     | FNW 5/16 ID X 1-1/2 OD SS                       | 1    |
| 45   | H-72517     | PPH #10-32 X 5/8" SS                            | 1    |
| 46   | H-72645     | FHP #8-32 X 1.0"                                | 1    |
| 47   | H-74418     | CB 1/4"- 20 X 5/8" S/S                          | 6    |
| 48   | H-74429     | CB 5/16"- 18 X 3/4" SS                          | 8    |
| 49   | H-74430     | CB 5/16"- 18 X 1" SS                            | 8    |
| 50   | H-74432     | CB 5/16"- 18 X 1-1/2" SS                        | 4    |
| 51   | H-76063     | FW 3/8" X 5/8" NYLON                            | 1    |
| 52   | H-76065     | FW 1/2" NYLON                                   | 2    |
| 53   | H-98025     | FW 3/8" GRADE 8                                 | 4    |
| 54   | H-NJ04C     | JNYL 1/4" - 20 SS                               | 6    |
| 55   | H-RUE14     | 3/8" RUE RING COTTER                            | 1    |
| 56   | H-RUE76     | rue ring cotter .4375                           | 1    |
| 57   | M-0953154   | 1/4" X 1" KEY                                   | 1    |
| 58   | T-050R6000  | BULK 1/2" ID X 5' WIRE REINFORCED SOLUTION HOSE | 1    |
| 59   | T-050R6000  | BULK 1/2" ID X 5' WIRE REINFORCED SOLUTION HOSE | 1    |
| 60   | T-050R6000  | BULK 1/2" ID X 5' WIRE REINFORCED SOLUTION HOSE | 1    |



## Cylindrical Decks




| Item | Part No.  | Part Description                       | Qty. | Item | Part No.  | Part Description                       | Qty. |
|------|-----------|----------------------------------------|------|------|-----------|----------------------------------------|------|
| 1    | 175-2700  | NEG INSULATOR POST (BLACK)             | 1    | 31   | H-0953152 | 3/16" X 3/4" KEY                       | 2    |
| 2    | 175-2710  | POS INSULATOR POST (RED)               | 2    | 32   | H-25382   | SETSCREW, KCP, 1/4"-20 X 1/2"          | 2    |
| 3    | 250-0001  | RETAINER PIN                           | 2    | 33   | H-70053   | HCS 5/16"- 18 X 3/4" SS                | 2    |
| 4    | 250-1230  | SHROUD HINGE                           | 1    | 34   | H-70107   | HCS 3/8"- 16 X 1-1/4" SS               | 8    |
| 5    | 253-8215  | TIMING SPROCKET 32 TOOTH               | 1    | 35   | H-70711   | HN 5/16"- 18 SS                        | 2    |
| 6    | 253-9003  | QUICK DISCONNECT BRACKET               | 1    | 36   | H-70860   | NYLOK 1/4"- 20 SS                      | 22   |
| 7    | 264-8225  | TIMING SPROCKET 56 TOOTH               | 1    | 37   | H-70861   | NYLOK 5/16"- 18 SS                     | 31   |
| 8    | 290-1233  | 3/8" ID, 1/2" OD, 1/4" LG BEARING      | 2    | 38   | H-70923   | KN #10-32 SS                           | 2    |
| 9    | 300-4030  | LEVEL                                  | 2    | 39   | H-71015   | FW 5/16 ID X 3/4 OD SS                 | 16   |
| 10   | 370-1247  | BUSHING 5/16 X 1/2 X 3/16              | 1    | 40   | H-71016   | FW 5/16 ID X 7/8 OD SS                 | 2    |
| 11   | 370-8240A | BEARING HOUSING/BEARING                | 1    | 41   | H-71017   | FW 3/8 ID X 7/8 OD SS                  | 10   |
| 12   | 370-8373  | CYLINDRICAL DRIVER SEAL                | 2    | 42   | H-72554   | PPH #10-32 X 1-1/2"                    | 2    |
| 13   | 4-25      | 6.25"ADJUSTABLE LATERAL ARM            | 1    | 43   | H-72562   | PPH #10-32 X 3/8" S/S                  | 1    |
| 14   | 600-2240  | 3 INCH STROKE ACTUATOR (36V)           | 1    | 44   | H-72682   | FHP #10-32 X 1/2" SS                   | 8    |
| 15   | 600-8371  | 8 SPLINE CYLINDRICAL DRIVER (HARDCOAT) | 2    | 45   | H-73459   | SHCS 1/4-20 X 1/2 SS                   | 3    |
| 16   | 600-9008  | CYLINDRICAL LIFTING BRACKET            | 1    | 46   | H-73777   | BHSCS 5/16-18 X 1/2"                   | 1    |
| 17   | 600-9585  | CYL. LATERAL ARM                       | 2    | 47   | H-73778   | BHSCS 5/16-18 X 5/8"                   | 4    |
| 18   | 600-9687  | LIFT ARM CROSS BAR (CYL)               | 1    | 48   | H-74417   | CB 1/4"- 20 X 5" SS                    | 2    |
| 19   | 650-1265  | SCRUB ARM BRACKET                      | 2    | 49   | H-74418   | CB 1/4"- 20 X 5/8" S/S                 | 18   |
| 20   | 650-6021  | SIDE SUPPORT (HDI) SS                  | 2    | 50   | H-74419   | CB 1/4"- 20 X 7.5" SS                  | 4    |
| 21   | 650-8230  | HI-PERFORMANCE PD PLUS BELT HTD 555-5M | 1    | 51   | H-74429   | CB 5/16"- 18 X 3/4" SS                 | 31   |
| 22   | 650-9002  | MOTOR ADJ BRACKET                      | 2    | 52   | H-74430   | CB 5/16"- 18 X 1" SS                   | 4    |
| 23   | 650-9004  | MOTOR SPACER                           | 2    | 53   | H-74432   | CB 5/16"- 18 X 1-1/2" SS               | 4    |
| 24   | 650-9072  | CYL. REAR SUPPORT BRACKET, LH          | 1    | 54   | H-74437   | CB 5/16"- 18 X 1/2" SS                 | 6    |
| 25   | 650-9073  | CYL. REAR SUPPORT BRACKET, RH          | 1    | 55   | H-90895   | WASHER, SERRATED BELLEVILLE, 3/8", S/S | 8    |
| 26   | H-01125   | 3/16" X 1" KEY                         | 2    | 56   | H-98025   | FW 3/8" GRADE 8                        | 4    |
| 27   | H-0129155 | JNYL #10-32, 18-8 S/S                  | 1    | 57   | H-K14320  | 3/16" X 1 1/4" KEY                     | 2    |
| 28   | H-0156759 | 3/8" X 4" CLEVIS PIN SS                | 4    | 58   | H-NJ04C   | JNYL 1/4" - 20 SS                      | 4    |
| 29   | H-0171004 | JNYL 3/8- 24 SS                        | 2    | 59   | H-NJ05C   | JNYL 5/16"- 18 SS                      | 6    |
| 30   | H-0708891 | HOLE PLUG 1"                           | 1    | 60   | H-RUE14   | 3/8" RUE RING COTTER                   | 3    |
|      |           |                                        |      | 61   | M-9565K51 | 1.0 X 1.0 SQ TUBE PLUG                 | 2    |




| Item | Part No.    | Part Description                    | Qty. |
|------|-------------|-------------------------------------|------|
| 1    | 250-1236    | WIPER BAND                          | 1    |
| 2    | 370-4060    | 6" LANYARD                          | 1    |
| 3    | 650-1243    | SHROUD VERTICAL ARM                 | 1    |
| 4    | 650-1245    | SHROUD SIDE                         | 1    |
| 5    | 700-1236    | ADJUSTABLE WIPER ARM                | 1    |
| 6    | 700-1239    | ADJUSTABLE ROD END (RH TREAD)       | 1    |
| 7    | H-0156758   | 3/8" X 3-1/2" CLEVIS PIN            | 1    |
| 8    | H-24268     | FHSCS .312-18 X 1.125 SS            | 1    |
| 9    | H-70710     | HN 1/4"- 20 SS                      | 1    |
| 10   | H-70811     | JNUT .312-18 SS                     | 1    |
| 11   | H-70858     | NYLOK #10-32 SS                     | 1    |
| 12   | H-70923     | KN #10-32 SS                        | 1    |
| 13   | H-71015     | FW 5/16 ID X 3/4 OD SS              | 8    |
| 14   | H-71171     | HCS .25-20 X 1.5 FULL THREAD SS     | 1    |
| 15   | H-71182     | HCS 5/16"- 18 X 2" SS               | 1    |
| 16   | H-72684     | FHP 10-32 X 3/4" SS                 | 1    |
| 17   | H-73883     | FHP 1/4"- 20 X 1" SS                | 1    |
| 18   | H-73907     | FHSCS 5/16"- 18 X 3/4" SS           | 1    |
| 19   | H-74419     | CB 1/4"- 20 X .75" SS               | 6    |
| 20   | H-74429     | CB 5/16"- 18 X 3/4" SS              | 2    |
| 21   | H-96544     | SPRING, 4-1/8" LG X 9/16" OD (42E)  | 1    |
| 22   | H-NJ04C     | JNYL 1/4" - 20 SS                   | 9    |
| 23   | H-NJ05C     | JNYL 5/16"- 18 SS                   | 5    |
| 24   | H-RUE14     | 3/8" RUE RING COTTER                | 1    |
| 25   | M-92391A044 | HAIRPIN, 5/16" - 3/8" X 1-7/16" S/S | 1    |

Cylindrical Doors












## EDGE Decks

| Item | Part No.   | Part Description                           | Qty. |
|------|------------|--------------------------------------------|------|
| 1    | 150-5786   | STAR KNOB, 3/8-16 THREAD                   | 6    |
| 2    | 150-7600   | 4" SIDE WHEEL (GREY)                       | 2    |
| 3    | 175-4021   | 16.5 LBS WEIGHT                            | 1    |
| 4    | 250-1184   | SHROUD ADJ. KNOB (3/8-16 THREAD)           | 4    |
| 5    | 250-1212   | SHROUD WIPER (RH)                          | 1    |
| 6    | 250-1213   | SHROUD WIPER (LH)                          | 1    |
| 7    | 250-1246   | EDGE WIPER BAND                            | 2    |
| 8*   | 250-1265   | SCRUB ARM BRACKET                          | 1    |
| 9*   | 260-2215   | 2-1/2" STROKE ACTUATOR (36V 900Nm)         | 1    |
| 10   | 264-1033   | 1/4" SPACER                                | 4    |
| 11   | 264-4026   | WEIGHT GASKET                              | 1    |
| 12   | 264-4027   | 26 LB LOWER WEIGHT                         | 1    |
| 13   | 290-2780   | TERMINAL BOOT, BLACK                       | 2    |
| 14   | 300-01030Z | CRUSH WASHER                               | 2    |
| 15   | 300-2013   | ISOLATOR STICKER                           | 1    |
| 16   | 300-2600   | 36V, IHP, 2700 RPM                         | 1    |
| 17*  | 300-3032   | 1-1/4X1-1/2X5/16-18 (50DI) ISOLATOR        | 4    |
| 18*  | 300-3033   | 1/4" SPACER                                | 1    |
| 19   | 300-3035   | ISOLATOR SHIELD                            | 4    |
| 20   | 300-4030   | LEVEL                                      | 2    |
| 21   | 300-4035   | 5LB WEIGHT                                 | 2    |
| 22*  | 300-6220   | 20" ECCENTRIC BEARING ASSEMBLY             | 1    |
| 23   | 300-8421   | ADJUSTABLE LATERAL ARM                     | 2    |
| 24   | 300-9070   | (LH) DECK LIFTING BRACKET                  | 1    |
| 25   | 300-9071   | (RH) DECK LIFTING BRACKET                  | 1    |
| 26   | 300-9587   | LATERAL ARM                                | 1    |
| 27   | 4-386      | LIFT LEVER SPRING                          | 4    |
| 28*  | 650-1265   | SCRUB ARM BRACKET                          | 1    |
| 29   | 8-262      | HOUR METER                                 | 1    |
| 30   | EDGE-7232  | 28" EDGE STICKER                           | 2    |
| 31   | H-0127296  | 1.0" LOOP CLAMP                            | 1    |
| 32   | H-0172523  | CB #10-32 X 1-1/2" SS                      | 3    |
| 33   | H-11107629 | FW #10 NYLON                               | 6    |
| 34   | H-29566    | FHP 1/4" - 20 X 3/4" ZINC                  | 8    |
| 35   | H-4440024  | FW 3/8" X 3/4" NYLON                       | 12   |
| 36   | H-4440040  | .375 ID X 1.125 OD RUBBER WASHER           | 4    |
| 37   | H-70051    | HCS 5/16" - 18 X 1/2"                      | 10   |
| 38   | H-70105    | HCS 3/8" - 16 X 1" SS                      | 4    |
| 39   | H-70213    | HCS 1/2" - 13 X 2-1/2" SS                  | 1    |
| 40   | H-70858    | NYLOK #10-32 SS                            | 3    |
| 41   | H-70860    | NYLOK 1/4" - 20 SS                         | 1    |
| 42   | H-70861    | NYLOK 5/16" - 18 SS                        | 32   |
| 43   | H-70864    | NYLOK 1/2" - 13 SS                         | 1    |
| 44   | H-71013    | FW 1/4 ID X 5/8 OD SS                      | 1    |
| 45   | H-71015    | FW 5/16 ID X 3/4 OD SS                     | 18   |
| 46   | H-71021    | FW 1/2 ID X 1-1/4 OD SS                    | 2    |
| 47   | H-71065    | LW 5/16" SS                                | 10   |
| 48   | H-71067    | LW 3/8" SS                                 | 10   |
| 49   | H-71190    | HCS 3/8" - 16 X 2-1/2" SS (FULLY THREADED) | 6    |
| 50   | H-72398    | PPH #8-32 X 1/2" S/S                       | 4    |
| 51*  | H-72708    | FHP 1/4" - 20 X 3/4"                       | 8    |
| 52   | H-73754    | BHSCS 1/4" - 20 X 3/4" SS                  | 3    |
| 53*  | H-73907    | FHSCS 5/16" - 18 X 3/4" SS                 | 4    |
| 54   | H-74401    | CB 5/16" - 18 X 1-3/4" SS                  | 2    |
| 55   | H-74419    | CB 1/4" - 20 X .75" SS                     | 10   |
| 56   | H-74429    | CB 5/16" - 18 X 3/4" SS                    | 8    |
| 57   | H-74430    | CB 5/16" - 18 X 1" SS                      | 4    |
| 58   | H-74432    | CB 5/16" - 18 X 1-1/4" SS                  | 2    |




| Item | Part No.   | Part Description                         | Qty. |
|------|------------|------------------------------------------|------|
| 1    | 150-5786   | STAR KNOB, 3/8-16 THREAD                 | 2    |
| 2    | 150-7600   | 4" SIDE WHEEL (GREY)                     | 2    |
| 3    | 175-1033   | SPACER                                   | 8    |
| 4    | 175-1060   | 2-3/4" BOSS                              | 2    |
| 5    | 175-1073   | 1-1/2" BEARING GASKET                    | 1    |
| 6    | 175-4021   | 16.5 LBS. WEIGHT                         | 3    |
| 7    | 290-2780   | TERMINAL BOOT, BLACK                     | 2    |
| 8    | 300-01030Z | CRUSH WASHER                             | 1    |
| 9    | 300-01036Z | 32 INCH ALUMINUM PAD DRIVER              | 1    |
| 10   | 300-4030   | LEVEL                                    | 2    |
| 11   | 300-5032   | SQ. SOLUTION FEED TUBE (32")             | 1    |
| 12   | 370-1247   | BUSHING 5/16 X 1/2 X 3/16                | 8    |
| 13   | EDGE-2333  | 32" EDGE STICKER                         | 2    |
| 14   | H-0172523  | CB #10-32 X 1-1/2" SS                    | 3    |
| 15   | H-11107629 | FW #10 NYLON                             | 6    |
| 16   | H-70105    | HCS 3/8"-16 X 1" SS                      | 4    |
| 17   | H-70858    | NYLOK #10-32 SS                          | 3    |
| 18   | H-70861    | NYLOK 5/16"-18 SS                        | 20   |
| 19   | H-71067    | LW 3/8" SS                               | 6    |
| 20   | H-71190    | HCS 3/8"-16 X 2-1/2" SS (FULLY THREADED) | 2    |
| 21   | H-72398    | PPH #8-32 X 1/2" S/S                     | 4    |
| 22   | H-72708    | FHP 1/4"-20 X 3/4"                       | 8    |
| 23   | H-73754    | BHSCS 1/4"-20 X 3/4" SS                  | 1    |
| 24   | H-73907    | FHSCS 5/16"-18 X 3/4" SS                 | 8    |
| 25   | H-74401    | CB 5/16"-18 X 1-3/4" SS                  | 4    |
| 26   | H-K14320   | 3/16" X 1 1/4" KEY                       | 1    |
| 27   | M-9565K5   | 3/4 X 3/4 SQ TUBE PLUG                   | 2    |
| 28   | T-02586000 | BULK 1/4" X 5' BLUE ZERO HOSE            | 1    |
| 29   | T-025C6000 | BULK 1/4" X 5' CLEAR SOLUTION HOSE       | 1    |

EDGE Deck Wipers




| Item | Part No. | Part Description         | Qty. |
|------|----------|--------------------------|------|
| 1    | 150-7600 | 4" SIDE WHEEL (GREY)     | 1    |
| 2    | 250-1213 | SHROUD WIPER ILHI        | 1    |
| 3    | 250-1245 | EDGE SHROUD WIPER        | 1    |
| 4    | 250-1246 | EDGE WIPER BAND          | 1    |
| 5    | H-70861  | NYLOK 5/16" - 18 SS      | 1    |
| 6    | H-74401  | CB 5/16"- 18 X 1-3/4" SS | 1    |
| 7    | H-74419  | CB 1/4"- 20 X .75" SS    | 5    |
| 8    | H-NJ04C  | JNYL 1/4" - 20 SS        | 5    |

## Attaching Squeegee Trail Arm, Bumper, & Axle




Solution System




| Item | Part No.   | Part Description                                | Qty. |
|------|------------|-------------------------------------------------|------|
| 1    | 175-5280   | VALVE BRACKET                                   | 1    |
| 2    | 175-9130   | Filter Housing                                  | 1    |
| 3    | 175-9130   | Filter Cap                                      | 1    |
| 4    | 21-1601    | 1/2" BARBED ELBOW (PLASTIC)                     | 2    |
| 5    | 430-8910   | PUMP, WATER JET, 36V                            | 1    |
| 6    | 5-446      | 1/2 " PLASTIC BARB TEE                          | 2    |
| 7    | 5-447      | 1/2 NPT X 1/2" BARB ELBOW                       | 1    |
| 8    | 650-4500   | 36V VALVE                                       | 1    |
| 9    | H-0172519  | CB #10-32 X 5/8" SS                             | 1    |
| 10   | H-081      | CLAMP 7/16"- 25/32" SS                          | 3    |
| 11   | T-050R6000 | BULK 1/2" ID X 5' WIRE REINFORCED SOLUTION HOSE | 1    |
| 12   | T-050R6000 | BULK 1/2" ID X 5' WIRE REINFORCED SOLUTION HOSE | 1    |
| 13   | T-050R6000 | BULK 1/2" ID X 5' WIRE REINFORCED SOLUTION HOSE | 1    |

| Item | Part No.   | Part Description                                         | Qty. |
|------|------------|----------------------------------------------------------|------|
| 1    | 175-5280   | VALVE BRACKET                                            | 1    |
| 2    | 370-8910   | PUMP, WATER JET 36V                                      | 1    |
| 3    | 5346K126   | 90 Degree Elbow for 1/2" Hose ID x 3/8" NPTF Female Pipe | 1    |
| 4    | 600-8500   | ROYAL BLUE INJECTOR                                      | 1    |
| 5    | 650-4500   | 36V VALVE                                                | 1    |
| 6    | 650-9134   | AIR DRYER                                                | 1    |
| 7    | H-53933    | Wire Reinforced Clear PVC 1/2"ID 3/4"OD Tubing           | 1    |
| 8    | H-53933    | Wire Reinforced Clear PVC 1/2"ID 3/4"OD Tubing           | 1    |
| 9    | H-53933    | Wire Reinforced Clear PVC 1/2"ID 3/4"OD Tubing           | 1    |
| 10   | H-54340    | Clear Silicon 1/8" ID 1/4"OD Tubing                      | 1    |
| 11   | H-54340    | Clear Silicon 1/8" ID 1/4"OD Tubing                      | 1    |
| 12   | H-54343    | BULK 1/4" ID X 1' CLEAR SILICONE ZERO HOSE               | 1    |
| 13   | M-5231K6   | Black PVC 3/8" ID 1/2" OD Tubing                         | 1    |
| 14   | M-5346K52  | .375 NPT X .25 BRASS BARBED HOSE FITTING                 | 1    |
| 15   | M-5463K128 | NYLON .25 NPT X .125 BARB                                | 1    |
| 16   | M-5463K313 | .25 NPT X .25 BRASS BARBED X 90 DEG ELBOW                | 1    |




ZERO3 System

| Item | Part No.  | Part Description                                       | Qty. |
|------|-----------|--------------------------------------------------------|------|
| 1    | I23-1845  | Zero3 Generator Decal                                  | 1    |
| 2    | I23-2335  | Zero 3 Generator                                       | 1    |
| 3    | 700-2336  | GENERATOR INSULATOR                                    | 1    |
| 4    | E-16GF    | FEMALE WIRE CLIP                                       | 1    |
| 5    | H-0146794 | FHSCS #6-32 X 4" S/S                                   | 1    |
| 6    | H-06584   | Elbow, 1/8" Barb x 1/8" Barb PVDF Material             | 1    |
| 7    | H-54343   | Bulk 1/4" ID Clear Silicone ZERO Hose Sold by the Foot | 1    |
| 8    | H-70855   | NYLOK #6-32 SS                                         | 1    |
| 9    | H-71009   | FW #10 SS                                              | 1    |




| Item | Part No.   | Part Description                               | Qty. |
|------|------------|------------------------------------------------|------|
| 1    | 175-5280   | VALVE BRACKET                                  | 2    |
| 2    | 395-8500   | METERING PUMP                                  | 1    |
| 3    | 650-4500   | 36V VALVE                                      | 1    |
| 4    | H-0172519  | CB #10-32 X 5/8" SS                            | 1    |
| 5    | H-52313    | SUDS HOSE 01                                   | 1    |
| 6    | H-52313    | SUDS HOSE 02                                   | 1    |
| 7    | H-52313    | SUDS HOSE 03                                   | 1    |
| 8    | H-52313    | SUDS DRAIN HOSE                                | 1    |
| 9    | H-53933    | Wire Reinforced Clear PVC 1/2"ID 3/4"OD Tubing | 1    |
| 10   | H-54340    | Clear Silicon 1/8" ID 1/4"OD Tubing            | 1    |
| 11   | H-70858    | NYLOK #10-32 SS                                | 3    |
| 12   | M-53175K81 | .375 HOSE CLAMP                                | 2    |
| 13   | M-5463K439 | .1875 Barbed Tube Fitting X .25 FNPT           | 2    |
| 14   | M-5463K554 | .25 NPT X .50 BARBED TEE                       | 2    |
| 15   | M-5463K606 | 1/4" X 1/4" PLASTIC BARBED TEE                 | 1    |







## Solution Tank




| Item | Part No.    | Part Description                             | Qty. |
|------|-------------|----------------------------------------------|------|
| 1    | 175-1412    | TANK LID STRAP W/GROMMETS                    | 1    |
| 2    | 250-1240    | CLIP                                         | 1    |
| 3    | 5-728       | DETERGENT WARNING PLATE                      | 1    |
| 4    | 600-1220    | 4" SS HINGE                                  | 1    |
| 5    | 600-1409    | GTX TINTED RECOVERY LID                      | 1    |
| 6    | 600-1415    | PUSH-ON RUBBER GASKET                        | 1    |
| 7    | 600-7040    | 2" NPT X 2" BARB STREET ELBOW, BLACK         | 1    |
| 8    | 650-0111    | SQUEEGEE HOSE                                | 1    |
| 9    | 650-7210    | DRAIN HOSE                                   | 1    |
| 10   | H-0129155   | JNYL #10-32, 18-8 S/S                        | 2    |
| 11   | H-62046     | CLAMP 1 9/16 - 2 1/2" SS                     | 1    |
| 12   | H-70003     | HCS 1/4"-20 X 3/4" SS                        | 1    |
| 13   | H-71009     | FW #10 SS                                    | 1    |
| 14   | H-71013     | FW 1/4 ID X 5/8 OD SS                        | 1    |
| 15   | H-71063     | LW 1/4" SS                                   | 1    |
| 16   | H-72515     | PPH #10-32 X 1/2" S/S                        | 1    |
| 17   | H-72517     | PPH #10-32 X 5/8" SS                         | 1    |
| 18   | H-72902     | PPH SMS #6 X 3/8" SS                         | 1    |
| 19   | H-90133     | .17 ID X .5 OD X .093 NEOPRENE WASHER        | 1    |
| 20   | M-91235A112 | Belleville Spring Lock Washer, 1/4 stainless | 2    |






| Item | Part No.    | Part Description               | Qty. |
|------|-------------|--------------------------------|------|
| 1    | 290-8960    | Blue Hose 18'                  | 1    |
| 2    | 349-0111    | TANK TO VAC WAND HOSE          | 1    |
| 3    | 5-886       | WAND CLIP                      | 1    |
| 4    | 5-895       | SPRAY NOZZLE                   | 1    |
| 5    | 600-7179    | TANK UTILITY HANDLE            | 1    |
| 6    | 650-2910    | BLUE WARNING LIGHT             | 1    |
| 7    | 650-4043    | HOSE WRAP                      | 2    |
| 8    | 7-884       | COUPLER, S/S                   | 1    |
| 9    | 8-293       | STROBE LIGHT                   | 1    |
| 10   | H-68600     | 1/2" NPT BRASS NUT             | 1    |
| 11   | H-70858     | NYLOK #10-32 SS                | 1    |
| 12   | H-70862     | NYLOK 3/8"-16 SS               | 1    |
| 13   | H-71894     | #14 X 1" SELF TAPPING SCREW SS | 4    |
| 14   | H-72517     | PPH #10-32 X 5/8" SS           | 1    |
| 15   | H-72536     | PPH #10-32 X 1" S/S            | 3    |
| 16   | H-73780     | BHSCS 5/16-18 X 1              | 1    |
| 17   | H-74418     | CB 1/4"- 20 X 5/8" S/S         | 4    |
| 18   | H-NJ05C     | JNYL 5/16"- 18 SS              | 1    |
| 19   | M-5346K68   | .50 NPT X .75 BARB             | 1    |
| 20   | M-9545K114  | 17/32" to 39/64" ID Hole Plug  | 1    |
| 21   | T-0375B6000 | THREAD COVER BLACK TUBING      | 1    |





| Item | Part No.    | Part Description                            | Qty. |
|------|-------------|---------------------------------------------|------|
| 1    | 175-1029    | TANK BACK SPLASH                            | 1    |
| 2    | 175-2328    | SWITCH, VACUUM SHUTOFF                      | 1    |
| 3    | 264-0121    | Hose, 2.0" ID, Grey, 27" L, No Cuffs        | 1    |
| 4    | 650-0115    | VAC BOX TO TANK HOSE                        | 1    |
| 5    | 650-1146    | GTR VAC BOX                                 | 1    |
| 6    | 650-1148    | GTR VAC MUFFLER WALL                        | 1    |
| 7    | 650-2600    | SPACER, 2-1/8" LG                           | 3    |
| 8    | 650-3001    | VAC MOTOR GASKET                            | 1    |
| 9    | 650-5250    | 36 V VAC MOTOR                              | 1    |
| 10   | 72916       | PPH SMS #8-15 x 3/4 SS                      | 3    |
| 11   | H-06584     | Elbow, 1/8" Barb x 1/8" Barb, PVDF Material | 1    |
| 12   | H-081       | CLAMP 7/16" - 25/32" SS                     | 2    |
| 13   | H-52335     | Clear Hose 1/8 PVC                          | 1    |
| 14   | H-52335     | Clear Hose 1/8 PVC                          | 1    |
| 15   | H-53933     | Hose, 1/2" ID PVC Reinforced                | 1    |
| 16   | H-62046     | CLAMP 1 9/16 - 2 1/2" SS                    | 3    |
| 17   | H-70015     | HCS 1/4" - 20 X 3.0" SS                     | 3    |
| 18   | H-71010     | FW #10 ID X 1 1/16 OD SS                    | 3    |
| 19   | H-71013     | FW 1/4 ID X 5/8 OD SS                       | 3    |
| 20   | H-71063     | LW 1/4" SS                                  | 3    |
| 21   | H-72916     | PPH SMS #8 X 3/4" SS                        | 2    |
| 22   | H-9540      | RUBBER BUMPER, 25/32"                       | 2    |
| 23   | M-5231K6    | Hose, 3/8 ID x 1/2 OD Black PVC per foot    | 1    |
| 24   | M-5288K12YE | Hose, 3/8 ID x 5/8" OD, Yellow              | 1    |
| 25   | M-5463K439  | 1/8" Tube ID x 1/4 NPT Male                 | 1    |
| 26   | M-5463K458  | .25 NPT X 1.25 BARB                         | 1    |
| 27   | M-5463K71   | Fitting, Reducer, Elbow, 1/2 x 3/8          | 1    |
| 28   | M-7280K17   | 3/4 NPT                                     | 1    |
| 29   | M-90130A029 | .25" NEOPRENE WASHER                        | 3    |



Tank Baffle Assembly

| Item | Part No.   | Part Description        | Qty. |
|------|------------|-------------------------|------|
| 1    | 175-1135   | DRAIN SAVER BASKET ROD  | 2    |
| 2    | 175-4080   | STRAINER TOP            | 1    |
| 3    | 175-4102   | GASKET, BAFFLE TOP      | 1    |
| 4    | 175-4103   | BALL FLOAT GASKET       | 1    |
| 5    | 264-4086   | VAC BOX FILTER          | 1    |
| 6    | 264-8912   | DRAIN SAVER BASKET      | 1    |
| 7    | 264-9111   | SCREEN STRAINER         | 1    |
| 8    | 38-712     | OVERFILL SHUTOFF BALL   | 1    |
| 9    | 38-738     | STRAINER GASKET         | 1    |
| 10   | 400-4250   | 4" Clear Access Port    | 1    |
| 11   | 600-1135   | GTX HD BAFFLE           | 1    |
| 12   | 650-0033   | INNER VAC BOX           | 1    |
| 13   | 650-1030   | TANK BACK SPLASH        | 1    |
| 14   | 650-1136   | BAFFLE BALL FLOAT BRACE | 1    |
| 15   | H-70858    | NYLOK #10-32 SS         | 5    |
| 16*  | H-70860    | NYLOK 1/4"- 20 SS       | 4    |
| 17   | H-70923    | KN #10-32 SS            | 2    |
| 18   | H-71010    | FW #10 ID X 11/16 OD SS | 3    |
| 19   | H-72554    | PPH #10-32 X 1-1/2"     | 2    |
| 20   | H-72682    | FHP #10-32 X 1/2" SS    | 3    |
| 21   | H-72684    | FHP 10-32 X 3/4" SS     | 2    |
| 22   | H-72710    | FHP 1/4"- 20 X 1" SS    | 4    |
| 23   | H-72914    | PPH SMS #8 X 1/2"       | 6    |
| 24   | M-9452KI32 | .0625 X 3.50 043 O-RING | 1    |






## WHICH BATTERY CHARGER TO USE WITH BATTERY SELECTION

| Battery Part Number & Description | Console Charger / North America | Onboard Charger / North America / International |
|-----------------------------------|---------------------------------|-------------------------------------------------|
| 175-2110 (6V / 210AH - WET)       | 250-2540 (36VDC / 25A)          | 500-2460 (36VDC / 27A)                          |
| 250-2113 (6V / 240AH - WET)       | 250-2540 (36VDC / 25A)          | 500-2460 (36VDC / 27A)                          |
| 370-2117 (6V / 310AH - WET)       | 370-2540 (36VDC / 30A)          | 370-2460 (36VDC / 33A)                          |
| 253-2112 (6V / 360AH - WET)       | 370-2540 (36VDC / 30A)          | 370-2460 (36VDC / 33A)                          |
| 250-2120 (6V / 250AH - AGM)       | N/A                             | 500-2460 (36VDC / 33A)                          |
| 370-2120 (6V / 335AH - AGM)       | N/A                             | 370-2460 (36VDC / 33A)                          |


29" Cylindrical Doors



| 29in Side Doors Used On |  |
|-------------------------|--|
| 26" Disk Deck           |  |
| 28" Disk Deck           |  |
| 25" CYL Deck            |  |
| 24" Edge Deck           |  |

| Item | Part No. | Part Description      | Qty. |
|------|----------|-----------------------|------|
| 1    | 5-122    | 8" SS HINGE           | 1    |
| 2    | 5-130    | DOOR LATCH            | 1    |
| 3    | H-74417  | CB 1/4" - 20 X .5" SS | 4    |
| 4    | H-NJ04C  | JNYL 1/4" - 20 SS     | 4    |







| 33in Side Doors Used On | 34in Side Doors Used on |
|-------------------------|-------------------------|
| 30" Disk Deck           | 34" Disk Deck           |
| 29" CYL Deck            | 33" CYL Deck            |
| 28" Edge Deck           | 32" Edge Deck           |


| Item | Part No. | Part Description          | Qty. |
|------|----------|---------------------------|------|
| 1    | 21-1127  | ROLLER                    | 1    |
| 2    | 5-130    | DOOR LATCH                | 1    |
| 3    | 650-1126 | ROLLER BRACKET HINGE (RH) | 1    |
| 4    | H-00279  | FW 5/8" PVC               | 1    |
| 5    | H-13337  | HB 5/8"-11 X 13"          | 1    |
| 6    | H-37038  | JNYL 5/8"-11              | 1    |










| Item | Part No. | Part Description                     | Qty. | Item | Part No.   | Part Description                         | Qty. |
|------|----------|--------------------------------------|------|------|------------|------------------------------------------|------|
| 1    |          | QR sticker                           | 1    | 29   | 600-2005   | ACCESS COVER GASKET                      | 1    |
| 2    | 123-8861 | HOSE BRACKET HOLDER                  | 1    | 30   | 600-2025   | METER STICKER                            | 1    |
| 3    | 123-9134 | AIR DRYER                            | 1    | 31   | 600-4042   | CORD WRAP                                | 1    |
| 4    | 175-2350 | MANAGER LOCK OUT KEY FOB             | 1    | 32   | 650-2019   | CONTROL PANEL STICKER, FRONT             | 1    |
| 5    | 175-2351 | ECON KEY FOB                         | 1    | 33   | 650-2830   | SWITCH, TOGGLE, MOM/OFF/MOM (DPDT)       | 2    |
| 6    | 175-2352 | POWER KEY FOB                        | 1    | 34   | 7-229D     | PUSH BUTTON SWITCH                       | 1    |
| 7    | 175-2353 | SPARE KEY FOB                        | 1    | 35   | 7-287      | BUSS BAR UHMW                            | 2    |
| 8    | 175-2462 | VELCRO STRAP                         | 1    | 36   | 7-837      | FUSE RESETTABLE 2 AMP                    | 1    |
| 9    | 175-2700 | NEG INSULATOR POST (BLACK)           | 1    | 37   | 700-2590   | DUAL USB PORTS                           | 1    |
| 10   | 264-234  | LOCKOUT KEY SWITCH                   | 1    | 38   | 8-180      | HINGE, 6-7/8" S/S                        | 1    |
| 11   | 264-234A | MANAGER LOCK OUT KEY                 | 1    | 39   | E-5HBB     | 5 HOLE BUSS BAR                          | 2    |
| 12   | 290-2330 | RED LIGHT                            | 2    | 40   | H-0172521  | CB #10-32 X 1" SS                        | 6    |
| 13   | 290-234  | KEY SWITCH (WITH KEY)                | 2    | 41   | H-11195    | PROTECTIVE BOOT, TOGGLE SWITCH, (WHITE)  | 1    |
| 14   | 290-234A | KEY SET (REPLACE)                    | 3    | 42   | H-11196    | PROTECTIVE BOOT, TOGGLE SWITCH, (RED)    | 1    |
| 15   | 290-2350 | YELLOW LIGHT                         | 2    | 43   | H-11198    | PROTECTIVE BOOT, TOGGLE SWITCH, (GREEN)  | 1    |
| 16   | 290-2891 | LCD SCREEN                           | 1    | 44   | H-11199    | PROTECTIVE BOOT, TOGGLE SWITCH, (BLUE)   | 1    |
| 17   | 370-2331 | RELAY, 36V, SMALL W/FLAT MTG PLATE   | 2    | 45   | H-11200    | PROTECTIVE BOOT, TOGGLE SWITCH, (BLACK)  | 2    |
| 18   | 370-2831 | SWITCH, TOGGLE, ON/OFF/ON (DPDT)     | 2    | 46   | H-11201    | PROTECTIVE BOOT, TOGGLE SWITCH, (GRAY)   | 1    |
| 19   | 370-8210 | SWITCH, TOGGLE, ON/ON (DPDT)         | 1    | 47   | H-11203    | PROTECTIVE BOOT, TOGGLE SWITCH, (PURPLE) | 1    |
| 20   | 370-8210 | SWITCH, TOGGLE, ON/ON (DPDT)         | 1    | 48   | H-11522859 | MI2 Black Nylon Hole Plug                | 2    |
| 21   | 370-8920 | TOGGLE, ON-OFF SPST                  | 3    | 49   | H-250HCN   | HCN 1/4"-20                              | 7    |
| 22   | 370-9604 | FUSE, RESETTABLE, 6 AMP, 50V DC MAX  | 1    | 50   | H-70860    | NYLOK 1/4"- 20 SS                        | 5    |
| 23   | 390-2899 | CONTROLLER V4                        | 1    | 51   | H-70922    | KN #8-32                                 | 6    |
| 24   | 390-9615 | FUSE, RESETTABLE, 15 AMP, 50V DC MAX | 2    | 52   | H-70926    | KN 15/16-18 S/S                          | 4    |
| 25   | 4-960    | FUSE, RESETTABLE, 5 AMP, 50V DC MAX  | 2    | 53   | H-71013    | FW 1/4 ID X 5/8 OD SS                    | 10   |
| 26   | 5-886    | WAND CLIP                            | 1    | 54   | H-72398    | PPH #8-32 X 1/2" S/S                     | 2    |
| 27   | 505-1500 | CONTROL PANEL STICKER, TOP           | 1    | 55   | H-72914    | PPH SMS #8 X 1/2"                        | 10   |
| 28   | 600-2004 | CENTRAL COMMAND DUST CURTAIN         | 1    | 56   | H-73754    | BHSCS 1/4 - 20 X 3/4" SS                 | 4    |
|      |          |                                      |      | 57   | H-74417    | CB 1/4"- 20 X .5" SS                     | 4    |





| Item | Part No.  | Part Description                     | Qty. | Item | Part No.    | Part Description                         | Qty. |
|------|-----------|--------------------------------------|------|------|-------------|------------------------------------------|------|
| 1'   |           |                                      | 1    | 41   | 600-4159    | VALVE MOUNTING BRACKET                   | 2    |
| 2'   |           |                                      | 1    | 42   | 7-287       | BUSS BAR UHMW                            | 2    |
| 3    | 150-4480  | HANDLE GRIP (BLUE)                   | 1    | 43   | 7-837       | FUSE RESETTABLE 2 AMP                    | 1    |
| 4    | 175-2352  | POWER KEY FOB                        | 1    | 44   | 700-2590    | DUAL USB PORTS                           | 1    |
| 5    | 175-2353  | SPARE KEY FOB                        | 1    | 45   | 8-180       | HINGE, 6-7/8" S/S                        | 1    |
| 6    | 175-2462  | VELCRO STRAP                         | 1    | 46   | E-5HBB      | 5 HOLE BUSS BAR                          | 2    |
| 7    | 175-2700  | NEG INSULATOR POST (BLACK)           | 1    | 47   | H-0172518   | CB #10-32 X 1/2" SS                      | 4    |
| 8    | 175-4157  | VALVE ARM                            | 1    | 48   | H-0172520   | CB #10-32 X 3/4" SS                      | 1    |
| 9    | 175-4158  | VALVE BRACKET                        | 2    | 49   | H-04788     | .50 NPT X .50 BARB                       | 2    |
| 10   | 175-9131  | CABLE GUIDE                          | 1    | 50   | H-1032HCN   | HCN #10-32                               | 4    |
| 11   | 190-4852  | BRUSH PRESSURE GAUGE, 40 AMP         | 1    | 51   | H-11107630  | FW 1/4" ID X 1/2" OD NYLON               | 1    |
| 12   | 190-8370  | FUSE RESETTABLE 25 AMP               | 1    | 52   | H-11196     | PROTECTIVE BOOT, TOGGLE SWITCH, (RED)    | 1    |
| 13   | 190-9609  | FUSE, RESETTABLE, 40 AMP             | 2    | 53   | H-11300     | PROTECTIVE BOOT, TOGGLE SWITCH, (BLACK)  | 1    |
| 14   | 260-2350A | SWITCH, ROCKER, DPDT, ON/ON AMBER    | 1    | 54   | H-11522859  | M12 Black Nylon Hole Plug                | 2    |
| 15   | 260-2351A | SWITCH, ROCKER, DPDT, ON/ON GREEN    | 1    | 55   | H-21197     | PROTECTIVE BOOT, TOGGLE SWITCH, (YELLOW) | 1    |
| 16   | 260-2352A | SWITCH, ROCKER, DPDT, ON/ON BLUE     | 1    | 56   | H-250HCN    | HCN 1/4"-20                              | 11   |
| 17   | 260-4855  | 36v Hour Meter                       | 1    | 57   | H-25385     | Set Screw .25-20 x .875                  | 3    |
| 18   | 290-2330  | RED LIGHT                            | 2    | 58   | H-25386     | SSS, KNL, 1/4-20 X 1"                    | 2    |
| 19   | 290-234   | KEY SWITCH (WITH KEY)                | 1    | 59   | H-33372     | SHAFT COLLAR, 3/8" ID                    | 3    |
| 20   | 290-234A  | KEY SET (REPLACE)                    | 2    | 60   | H-70855     | NYLOK #6-32 SS                           | 2    |
| 21   | 290-2350  | YELLOW LIGHT                         | 2    | 61   | H-70856     | NYLOK #8-32 SS                           | 2    |
| 22   | 290-4158  | 1/2" NPT BALL VALVE                  | 1    | 62   | H-70858     | NYLOK #10-32 SS                          | 6    |
| 23   | 349-2900  | IDRIVE 24V 180 AMP CONTROLLER        | 1    | 63   | H-70860     | NYLOK 1/4"-20 SS                         | 7    |
| 24   | 349-9604  | FUSE, RESETTABLE, 4 AMP, 50V DC MAX  | 1    | 64   | H-70922     | KN #8-32                                 | 6    |
| 25   | 370-2331  | RELAY, 36V, SMALL, W/FLAT MTG PLATE  | 4    | 65   | H-70923     | KN #10-32 SS                             | 3    |
| 26   | 370-2831  | SWITCH, TOGGLE, ON/OFF/ON (DPDT)     | 1    | 66   | H-70925     | KN 1/4-20 S/S                            | 11   |
| 27   | 370-8210  | SWITCH, TOGGLE, ON/ON (DPDT)         | 1    | 67   | H-71013     | FW 1/4 ID X 5/8 OD SS                    | 14   |
| 28   | 370-8210  | SWITCH, TOGGLE, ON/ON (DPDT)         | 1    | 68   | H-71063     | LW 1/4" SS                               | 1    |
| 29   | 390-9615  | FUSE, RESETTABLE, 15 AMP, 50V DC MAX | 2    | 69   | H-72398     | PPH #8-32 X 1/2" S/S                     | 3    |
| 30   | 4-960     | 4-284                                | 2    | 70   | H-72418     | PPH #8-32 X 1" S/S                       | 6    |
| 31   | 5-233     | MOM-OFF-MOM DPDT                     | 1    | 71   | H-72515     | PPH #10-32 X 1/2" S/S                    | 2    |
| 32   | 5-293     | 24V 15 AMP RELAY                     | 4    | 72   | H-72516     | PPH #6-32 X 1/2" SS                      | 2    |
| 33   | 5-886     | WAND CLIP                            | 1    | 73   | H-72562     | PPH #10-32 X 3/8" S/S                    | 2    |
| 34   | 500-2003  | VALVE LEVER                          | 1    | 74   | H-72586     | PPH 1/4-20 X 1/2" SS                     | 1    |
| 35   | 600-2004  | CENTRAL COMMAND DUST CURTAIN         | 1    | 75   | H-72588     | PPH 1/4-20 X 5/8" SS                     | 1    |
| 36   | 600-2005  | ACCESS COVER GASKET                  | 1    | 76   | H-72914     | PPH SMS #8 X 1/2"                        | 10   |
| 37   | 600-2022  | CENTRAL COMMAND TOP                  | 1    | 77   | H-73754     | BHSCS 1/4 - 20 X 3/4" SS                 | 8    |
| 38   | 600-2025  | METER STICKER                        | 1    | 78   | H-74417     | CB 1/4"-20 X 5" SS                       | 8    |
| 39   | 600-2025  | CONTROL PANEL STICKER, FRONT         | 1    | 79   | H-74418     | CB 1/4"-20 X 5/8" S/S                    | 6    |
| 40   | 600-4042  | CORD WRAP                            | 1    | 80   | M-92066A009 | SOCKET HEAD NUT #8-32,par                | 2    |






| Item | Part No.  | Part Description                      | Qty. | Item | Part No. | Part Description                         | Qty. |
|------|-----------|---------------------------------------|------|------|----------|------------------------------------------|------|
| 1    | I23-8861  | HOSE BRACKET HOLDER                   | 1    | 29   | H-11198  | PROTECTIVE BOOT, TOGGLE SWITCH, (GREEN)  | 1    |
| 2    | I75-2462  | VELCRO STRAP                          | 1    | 30   | H-11203  | PROTECTIVE BOOT, TOGGLE SWITCH, (PURPLE) | 1    |
| 3    | I75-2700  | NEG INSULATOR POST (BLACK)            | 1    | 31   | H-21197  | PROTECTIVE BOOT, TOGGLE SWITCH, (YELLOW) | 1    |
| 4    | 290-234   | KEY SWITCH (WITH KEY)                 | 1    | 32   | H-250HCN | HCN 1/4"-20                              | 14   |
| 5    | 370-2331  | RELAY, 36V, SMALL W/FLAT MTG PLATE    | 2    | 33   | H-70922  | KN #8-32                                 | 6    |
| 6    | 370-8210  | SWITCH, TOGGLE, ON/ON IDPDT           | 2    | 34   | H-70923  | KN #10-32 SS                             | 2    |
| 7    | 370-8210  | SWITCH, TOGGLE, ON/ON IDPDT           | 1    | 35   | H-70925  | KN 1/4-20 S/S                            | 1    |
| 8    | 370-8920  | TOGGLE, ON-OFF SPST                   | 2    | 36   | H-71013  | FW 1/4 ID X 5/8 OD SS                    | 8    |
| 9    | 370-9604  | FUSE, RESETTABLE, 6 AMP, 50V DC MAX   | 1    | 37   | H-72398  | PPH #8-32 X 1/2" S/S                     | 2    |
| 10   | 390-9615  | FUSE, RESETTABLE, 15 AMP, 50V DC MAX  | 2    | 38   | H-72418  | PPH #8-32 X 1" S/S                       | 4    |
| 11   | 4-960     | FUSE, RESETTABLE, 5 AMP, 50V DC MAX   | 2    | 39   | H-72515  | PPH #10-32 X 1/2" S/S                    | 2    |
| 12   | 5-886     | WAND CLIP                             | 1    | 40   | H-72636  | FHP #4-40 X .375 SS                      | 4    |
| 13   | 500-2001  | ACCESS COVER                          | 1    | 41   | H-72914  | PPH SMS #8 X 1/2"                        | 10   |
| 14   | 500-2002  | ACCESS COVER GASKET                   | 1    | 42   | H-73754  | BHSCS 1/4 - 20 X 3/4" SS                 | 8    |
| 15   | 500-2023  | TOUCH SCREEN CC TOP                   | 1    | 43   | H-74417  | CB 1/4"- 20 X 5" SS                      | 4    |
| 16   | 600-2004  | CENTRAL COMMAND DUST CURTAIN          | 1    |      |          |                                          |      |
| 17   | 600-2025  | METER STICKER                         | 1    |      |          |                                          |      |
| 18   | 600-4042  | CORD WRAP                             | 1    |      |          |                                          |      |
| 19   | 600-6026  | CONTROL PANEL STICKER, FRONT          | 1    |      |          |                                          |      |
| 20   | 650-2890  | KINETECK TOUCH SCREEN CONTROLLER      | 1    |      |          |                                          |      |
| 21   | 650-2891  | 4 INCH TOUCH SCREEN                   | 1    |      |          |                                          |      |
| 22   | 650-9134  | AIR DRYER                             | 1    |      |          |                                          |      |
| 23   | 7-287     | BUSS BAR UHMW                         | 2    |      |          |                                          |      |
| 24   | 7-837     | FUSE RESETTABLE 2 AMP                 | 1    |      |          |                                          |      |
| 25   | 700-2590  | DUAL USB PORTS                        | 1    |      |          |                                          |      |
| 26   | E-5HBB    | 5 HOLE BUSS BAR                       | 2    |      |          |                                          |      |
| 27   | H-0172522 | CB #10-32 X 1-1/4" SS                 | 2    |      |          |                                          |      |
| 28   | H-11196   | PROTECTIVE BOOT, TOGGLE SWITCH, (RED) | 1    |      |          |                                          |      |





| Item | Part No.   | Part Description             | Qty. |
|------|------------|------------------------------|------|
| 1    | 150-5786   | STAR KNOB, 3/8-16 THREAD     | 2    |
| 2    | 150-7600   | 4" SIDE WHEEL (GREY)         | 2    |
| 3    | 253-7570   | CASTER                       | 2    |
| 4    | 36-8460    | STANDOFF, 1.25"              | 2    |
| 5    | 37-0007    | SQUEEGEE ROLLER SPACER       | 4    |
| 6    | 37-0008    | SQUEEGEE ROLLER SPACER       | 2    |
| 7    | 45-7183    | SQUEEGEE CASTER BRACKET (LH) | 1    |
| 8    | 45-7184    | SQUEEGEE CASTER BRACKET (RH) | 1    |
| 9    | H- 0171285 | BHSCS 1/4 - 20 X 2-1/4 SS    | 6    |
| 10   | H-0129152A | FLANGED NUT 3/8-16           | 2    |
| 11   | H-37350    | BHSCS 3/8"- 16 X 3-1/2" S/S  | 2    |
| 12   | H-70860    | NYLOK 1/4"- 20 SS            | 6    |
| 13   | H-70861    | NYLOK 5/16" - 18 SS          | 2    |
| 14   | H-70862    | NYLOK 3/8"-16 SS             | 2    |
| 15   | H-73816    | BHSCS 3/8" - 16 X 1-1/4" SS  | 2    |
| 16   | H-74401    | CB 5/16"- 18 X 1-3/4" SS     | 2    |



| Squeegee Blade Chart |                  |                 |
|----------------------|------------------|-----------------|
| Squeegee size        | Front blade v2.1 | Rear Blade v2.1 |
| 31 inch              | 31-751           | 31-750          |
| 33 inch              | 33-751           | 33-750          |
| 37 inch              | 37-751           | 37-750          |
| 41 inch              | 41-751           | 41-750          |

\* L= Linatex  
U= Urethane



ROUND DISK BRUSHES:**NOTICE**

The ## in Disk Column Denotes Desk Pad Size: 13", 15" or 17"

| BRUSHES        | DISK     | LEVEL     |
|----------------|----------|-----------|
| Super Grit     | ##-382SS | Very High |
| Tough Grit     | ##-382S  | High      |
| Midi Grit      | ##-382C  | Medium    |
| Light Grit     | ##-382PS | Moderate  |
| Poly           | ##-382P  | Light     |
| Nylon          | ##-382N  | Light     |
| Tampico        | ##-382T  | Light     |
| Pad Driver     | ##-382D  |           |
| Diamond Driver | ##-382DD |           |

ROUND DISK PADS:**NOTICE**

The ## in Disk Column Denotes Desk Pad Size: 13", 15" or 17"

| DISK PADS   | DISK     | LEVEL     | COLOR |
|-------------|----------|-----------|-------|
| Super Black | ##-422BB | Very High | Black |
| Black       | ##-422B  | High      | Black |
| Brown       | ##-422BR | High      | Brown |
| Green       | ##-422G  | Medium    | Green |
| Blue        | ##-422BL | Moderate  | Blue  |
| Red         | ##-422R  | Moderate  | Red   |
| White       | ##-422W  | Light     | White |

CYLINDRICAL BRUSHES:

| BRUSHES    | MODEL 25" CYLINDRICAL | MODEL 29" CYLINDRICAL | MODEL 33" CYLINDRICAL | LEVEL    |
|------------|-----------------------|-----------------------|-----------------------|----------|
| Tough Grit | 236-697S              | 276-697S              | 316-697S              | High     |
| Midi Grit  | 236-697C              | 276-697C              | 316-697C              | Medium   |
| Light Grit | 236-697PS             | 276-697PS             | 316-697PS             | Moderate |
| Nylon      | 236-697N              | 276-697N              | 316-697N              | Light    |
| Tampico    | 236-697T              | 276-697T              | 316-697T              | Light    |

ORBITAL PADS AND SCREENS:

| DESCRIPTION                     | 28"×14" SCRUBDECK | 32"×14" SCRUBDECK |
|---------------------------------|-------------------|-------------------|
| White Pad                       | EDGE-4054         | EDGE-5005         |
| Red Pad                         | EDGE-4053         | EDGE-5004         |
| Blue Pad                        | EDGE-4052         | EDGE-5009         |
| Green Pad                       | EDGE-4051         | EDGE-5002         |
| Black Pad                       | EDGE-4050         | EDGE-5001         |
| White Driver Pad                | EDGE-4058         | NA                |
| 400 Grit Diamond Polishing Pad  | EDGE-4013         | EDGE-4013         |
| 800 Grit Diamond Polishing Pad  | EDGE-4014         | EDGE-5041         |
| 1500 Grit Diamond Polishing Pad | EDGE-4015         | EDGE-5042         |
| 3000 Grit Diamond Polishing Pad | EDGE-4016         | EDGE-5043         |
| 6000 Grit Diamond Polishing Pad | EDGE-4070         | EDGE-5040         |
| Tile/Grout Renovator Pad        | EDGE-4048         | EDGE-5018         |
| Dominator HD Strip Pad          | EDGE-4055         | EDGE-5006         |
| Maroon ECO Prep Pad             | EDGE-4056         | EDGE-5007         |

SQUEEGEE BLADE KITS & COMPLETE SQUEEGEE ASSEMBLIES:



Common Wear Parts

| SQUEEGEE SIZE | 26" DISK | 30" DISK | 25" CYL  | 29" CYL  | 33" CYL  | 24" Orbital | 28" Orbital |
|---------------|----------|----------|----------|----------|----------|-------------|-------------|
| 31" Squeegee  | Optional | Optional | Optional | Optional | Optional | Optional    | Optional    |
| 33" Squeegee  | Standard | Optional | Standard | Optional | Optional | Standard    | Optional    |
| 37" Squeegee  | Optional | Standard | Optional | Standard | Optional | Optional    | Standard    |
| 41" Squeegee  | Optional | Optional | Optional | Optional | Standard | Optional    | Optional    |
| 45" Squeegee  | Optional | Optional | Optional | Optional | Optional | Optional    | Optional    |

| SQUEEGEE SIZE | LINATEX BLADE KIT | URETHANE BLADE KIT | COMPLETE SQUEEGEE ASSEMBLIES |
|---------------|-------------------|--------------------|------------------------------|
| 31" Squeegee  | 231-770L          | 231-770U           | 231-2180                     |
| 33" Squeegee  | 633-770L          | 633-770U           | 633-9180                     |
| 37" Squeegee  | 637-770L          | 637-770U           | 637-9180                     |
| 41" Squeegee  | 641-770L          | 641-770U           | 641-9180                     |
| 45" Squeegee  | 645-770L          | 645-770U           | 645-9180                     |

| SQUEEGEE MATERIAL: | USED FOR:                                                                          |
|--------------------|------------------------------------------------------------------------------------|
| LINATEX            | Provides best wear and tear resistance. Not designed for use with harsh chemicals. |
| URETHANE           | Provides best resistance when dealing with harsh chemicals, oils, fuels, etc.      |

NOTICE

Squeegee blade kits include (1) Rear Blade & (1) Front Blade.


NOTICE


Squeegee Assemblies (complete) listed above all come with Linatex blades.


NOTICE

Size is stamped into the top of the painted steel squeegee body on all squeegee's.









## Decals


## Central Command Decals

## Military Grade



Part #:600-2025

## Legacy



Part #:600-2020

## Touch Screen



Part #:600-6026

## Models / Options / Squeegee Size Decals



Part #:600-1504



Part #:370-7201




Part #:175-1521




Part #:123-1837



Part #:123-1838



Part #:600-2020



Part #:123-1843



Part #:33-1601



Part #:37-1601



Part #:41-1601



Part #:45-1601

**BLANK**  
THIS PAGE WAS INTENTIONALLY LEFT BLANK

1711 South Street  
Racine, WI 53404  
[www.factorycat.com](http://www.factorycat.com)  
262-681-4060

***FACTORYCAT***®