The AS5160/AS5160T/AS5160TO are rugged and productive mediumsized walk-behind scrubbers with big tank capacity, attractive design, and are simple and easy to use, Plus, we can offer these machines at an attractive quality/price level.

The Viper medium sized walk-behind scrubbers AS5160/AS5160T/ AS5160TO are reliable due to the rotationally molded housing and its structured design. Service and maintenance are also made simpler by design. With the ergonomic design, the operators will be able to run the machine for long periods of time with less fatigue. The machines are battery powered, and are offered with a variety of battery styles and sizes. You can choose between a traction version or a pad-assist version. The machines are delivered with a pad driver, parabolic squeegee assembly with blades, brush deck skirts, and an onboard charger. The AS5160TO is equipped with an 20 X 14 Inch orbital deck for cleaning with ultra low solution flow, or for stripping floor finish using only water.

- · High capacity 16 Gallon solution and recovery tanks
- · On-board charger for convenient battery charging
- · Safety switches built into the handle
- Disc version available with or without traction motor



Picture shown may not represent model quoted

Orbital version offers water and detergent savings, with traction drive, and automatic raising and lowering of the scrub deck.

	Included accessories	Ref. no.	Min. required	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160 W130 OBC PH
Pad Holder						
	PAD HOLDER 508MM 20	VF90416	1			
(0)	PAD HOLDER RETAINER 508MM 20	VF90454	1	•	•	
Disc Brush						
	BRUSH DISC 510MM 20 PPL	VF90417	1			
Squeegee Bla	ade		,			
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•	•	
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	•	
Battery						



	Included accessories	Ref. no.	Min. required	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160 W130 OBC PH
	BATT 12V-96Ah AGM C5	559503252	2			
On-Board Ch	arger					
€.	CHARGER 24V 10A	VR27041	1			
	CHARGER 24V 13A US	VS13260	0			
Squeegee, Blade, Skirt and Splash Guard						
0	SPLASHGUARD KIT 510MM 20	VS10151	1			

	Included accessories	Ref. no.	Min. required	AS5160 W105 OBC PH	AS5160 A105 OBC PH	AS5160T W105 OBC PH
Pad Holder						
	PAD HOLDER 508MM 20	VF90416	1			
(0)	PAD HOLDER RETAINER 508MM 20	VF90454	1			
Disc Brush						
	BRUSH DISC 510MM 20 PPL	VF90417	1			
Squeegee Bla	nde					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1			
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1			
Battery						



	Included accessories	Ref. no.	Min. required	AS5160 W105 OBC PH	AS5160 A105 OBC PH	AS5160T W105 OBC PH
	BATT 12V-96Ah AGM C5	559503252	2			
On-Board Ch	arger					
€.	CHARGER 24V 10A	VR27041	1			
	CHARGER 24V 13A US	VS13260	0			
Squeegee, Bl	ade, Skirt and Splash Guard					
\bigcirc	SPLASHGUARD KIT 510MM 20	VS10151	1			

Standard equipment						
	Included accessories	Ref. no.	Min. required	AS5160T W130 OBC PH	AS5160T A140 OBC PH	AS5160TO 130 AH WET BATTERIES
Pad Holder						
	PAD HOLDER 508MM 20	VF90416	1			
(0)	PAD HOLDER RETAINER 508MM 20	VF90454	1			
Disc Brush						
	BRUSH DISC 510MM 20 PPL	VF90417	1			
Squeegee Bla	ade					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1			•
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1			•
Battery						



	Included accessories	Ref. no.	Min. required	AS5160T W130 OBC PH	AS5160T A140 OBC PH	AS5160TO 130 AH WET BATTERIES
	BATT 12V-96Ah AGM C5	559503252	2			
On-Board Ch	arger					
€.	CHARGER 24V 10A	VR27041	1			
	CHARGER 24V 13A US	VS13260	0			•
Squeegee, B	lade, Skirt and Splash Guard					
\bigcirc	SPLASHGUARD KIT 510MM 20	VS10151	1			

	Included accessories	Ref. no.	Min. required	AS5160TO 140 AH AGM BATTERIES
Pad Holder				
	PAD HOLDER 508MM 20	VF90416	1	
(0)	PAD HOLDER RETAINER 508MM 20	VF90454	1	
Disc Brush				
	BRUSH DISC 510MM 20 PPL	VF90417	1	
Squeegee Bla	nde			
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•
Battery				



	Included accessories		Ref. no.	Min. required	AS5160TO 140 AH AGM BATTERIES
3	BATT 12V-96Ah AGM C5		559503252	2	
On-Board Ch	arger				
₭.	CHARGER 24V 10A		VR27041	1	
	CHARGER 24V 13A US		VS13260	0	•
Squeegee, B	ade, Skirt and Splash Guard				
\bigcirc	SPLASHGUARD KIT 510MM 20		VS10151	1	
Model		AS5160-US SCRUBBER 20INCH 60L 24V	AS5160T-US SCRUBBER 2 60L24V TRACT	OIN ASS	160 W130 OBC PH
Ref. no.		50000401	50000406		56384811
PRODUCT F	EATURES				
Hour meter		•	•		•
Battery version	on	•	•		•
Recovery em	ptying hoses	•	•		•
Water level in	dicator	•	•		•
Traction drive			•		
Orbital Scrub	bing				
Model		AS5160 W105 OBC PH	AS5160 A105 (PH	OBC AS	S5160T W105 OBC PH
Ref. no.		56384810	56384812		56384813
PRODUCT F	EATURES				
Hour meter		•	•		•
Battery version	on	•	•		•
Recovery em	ptying hoses	•	•		•
Water level in	dicator	•	•		•
Traction drive					•
Orbital Scrub	bing				



Walk-Bening Floor Scrubbers			
Model	AS5160T W130 OBC PH	AS5160T A140 OBC PH	AS5160TO 130 AH WET BATTERIES
Ref. no.	56384814	56384815	56394138
PRODUCT FEATURES			
Hour meter	•	•	
Battery version	•	•	
Recovery emptying hoses	•	•	
Water level indicator	•	•	
Traction drive	•	•	
Orbital Scrubbing			•
Model			AS5160TO 140 AH AGM BATTERIES
Ref. no.			56394139
PRODUCT FEATURES			
Hour meter			
Battery version			
Recovery emptying hoses			
Water level indicator			
Traction drive			
Orbital Scrubbing			•
Technical specifications	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160 W130 OBC PH
Working speed (KM/H)	N/A	0-41ft/s	
Battery voltage (V)	24	24	
Brush motor (W)	450	450	
Traction motor power (W)	N/A	150	
Vacuum motor power (W)	350	350	
Battery type	Option	Option	
Vacuum (MMH2O)	1200	1200	
Sound pressure level (dB(A))	69	69	
Max climbing rate (%)	2%	2%	
Water flow (L/M)	0-0.63gal	0-0.63gal	
Squeegee width (MM)	31in	31in	
Brush/pad diameter (MM)	20in	20in	
Brush pressure (KG)	60lbs	50lbs	



Battery compartment size (LXWXH) (MM)

Brush speed (RPM)

Dimensions lxwxh (MM)

150

52x22x39in

14x14x48in

150

52x22x39in

14x14x48in

Technical specifications	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160 W130 OBC PH
Net weight (KG)	187lbs	205lbs	
Gross vehicle weight (GVW) (KG)	474lbs	491lbs	
Shipping weight (KG)	254lbs	271lbs	
Solution/recovery tank capacity	16/16gall	16/16gall	
Technical specifications	AS5160 W105 OBC PH	AS5160 A105 OBC PH	AS5160T W105 OBC PH
Working speed (KM/H)			
Battery voltage (V)			
Brush motor (W)			
Traction motor power (W)			
Vacuum motor power (W)			
Battery type			
Vacuum (MMH2O)			
Sound pressure level (dB(A))			
Max climbing rate (%)			
Water flow (L/M)			
Squeegee width (MM)			
Brush/pad diameter (MM)			
Brush pressure (KG)			
Brush speed (RPM)			
Dimensions Ixwxh (MM)			
Battery compartment size (LXWXH) (MM)			
Net weight (KG)			
Gross vehicle weight (GVW) (KG)			
Shipping weight (KG)			
Solution/recovery tank capacity			

Technical specifications	AS5160T W130 OBC PH	AS5160T A140 OBC PH	AS5160TO 130 AH WET BATTERIES
Working speed (KM/H)			0-41ft/s
Battery voltage (V)			24
Brush motor (W)			1 HP
Traction motor power (W)			0,33 HP
Vacuum motor power (W)			0,74 HP
Battery type			2x12V 100Ah/C20 AGM
Vacuum (MMH2O)			1200
Sound pressure level (dB(A))			69



Technical specifications	AS5160T W130 OBC PH	AS5160T A140 OBC PH	AS5160TO 130 AH WET BATTERIES
Max climbing rate (%)			2%
Water flow (L/M)			0-0.63gal
Squeegee width (MM)			31in
Brush/pad diameter (MM)			20in
Brush pressure (KG)			50lbs
Brush speed (RPM)			2200
Dimensions Ixwxh (MM)			52x22x39in
Battery compartment size (LXWXH) (MM)			13.8x13x8x11.8in
Net weight (KG)			205lbs
Gross vehicle weight (GVW) (KG)			491lbs
Shipping weight (KG)			271lbs
Solution/recovery tank capacity			61/16gall
Technical specifications			AS5160TO 140 AH AGM BATTERIES
Working speed (KM/H)			0-41ft/s
Battery voltage (V)			24
Brush motor (W)			1 HP
Traction motor power (W)			0,33 HP
Vacuum motor power (W)			0,74 HP
Battery type			2x12V 100Ah/C20 AGM
Vacuum (MMH2O)			1200
Sound pressure level (dB(A))			69
Max climbing rate (%)			2%
Water flow (L/M)			0-0.63gal
Squeegee width (MM)			31in
Brush/pad diameter (MM)			20in
Brush pressure (KG)			50lbs
Brush speed (RPM)			2200
Dimensions lxwxh (MM)			52x22x39in
Battery compartment size (LXWXH) (MM)			13.8x13x8x11.8in
Net weight (KG)			205lbs
Gross vehicle weight (GVW) (KG)			491lbs
Shipping weight (KG)			271lbs
Solution/recovery tank capacity			61/16gall



 \bullet Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160 W130 OBC PH
Pad Boost						
	PAD-BLACK-14X20-5/CS	997022	0	0	0	
	PAD-BLUE-14X20-5/CS	997021	0	0	0	
	PAD-MAROON-14X20-10/CS	997024	0	0	0	
	PAD-RED-14X20-5/CS	997020	0	0	0	
	PAD-WHITE-14X20-5/CS	997023	0	0	0	
Battery						
	BATT 12V-96Ah AGM C5	559503252	2			
	BATTERY DISCOVER 12V 84AH	1464853000	2			
Other						
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0			
Squeegee Bla	ade					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•	•	
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	0	0	
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	•	



	Accessories	Ref. no.	Min. required	AS5160-US SCRUBBER 20INCH 60L 24V	AS5160T-US SCRUBBER 20IN 60L24V TRACTION	AS5160 W130 OBC PH
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	0	0	
Disc Brush						
	BRUSH DISC 510MM 20 PPL	VF90417	1	0	0	
Pad Holder						
	PAD HOLDER 508MM 20	VF90416	1	0	0	
	PAD HOLDER RETAINER 508MM 20	VF90454	1	•	•	
Squeegee, Bl	ade, Skirt and Splash Guard					
\bigcirc	SPLASHGUARD KIT 510MM 20	VS10151	1	0	0	
On-Board Charger						
₭.	CHARGER 24V 10A	VR27041	1			
	CHARGER 24V 13A US	VS13260	0			

 $[\]bullet$ Standard equipment, $^{\bigcirc}$ Supplementary accessories, $^{\square}$ Mountable equipment

	Accessories	Ref. no.	Min. required	AS5160 W105 OBC PH	AS5160 A105 OBC PH	AS5160T W105 OBC PH
Pad Boost						
	PAD-BLACK-14X20-5/CS	997022	0			
	PAD-BLUE-14X20-5/CS	997021	0			
	PAD-MAROON-14X20-10/CS	997024	0			



	Accessories	Ref. no.	Min. required	AS5160 W105 OBC PH	AS5160 A105 OBC PH	AS5160T W105 OBC PH
	PAD-RED-14X20-5/CS	997020	0			
	PAD-WHITE-14X20-5/CS	997023	0			
Battery						
3	BATT 12V-96Ah AGM C5	559503252	2			
	BATTERY DISCOVER 12V 84AH	1464853000	2			
Other						
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0			
Squeegee Bla	ade					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1			
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1			
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1			
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1			
Disc Brush						
	BRUSH DISC 510MM 20 PPL	VF90417	1			
Pad Holder						
	PAD HOLDER 508MM 20	VF90416	1			



	Accessories	Ref. no.	Min. required	AS5160 W105 OBC PH	AS5160 A105 OBC PH	AS5160T W105 OBC PH
(0)	PAD HOLDER RETAINER 508MM 20	VF90454	1			
Squeegee, B	ade, Skirt and Splash Guard					
\bigcirc	SPLASHGUARD KIT 510MM 20	VS10151	1			
On-Board Ch	arger					
& .	CHARGER 24V 10A	VR27041	1			
	CHARGER 24V 13A US	VS13260	0			

ullet Standard equipment, ${}^\bigcirc$ Supplementary accessories, ${}^\square$ Mountable equipment

	Accessories	Ref. no.	Min. required	AS5160T W130 OBC PH	AS5160T A140 OBC PH	AS5160TO 130 AH WET BATTERIES
Pad Boost		1				
	PAD-BLACK-14X20-5/CS	997022	0			0
	PAD-BLUE-14X20-5/CS	997021	0			0
	PAD-MAROON-14X20-10/CS	997024	0			0
	PAD-RED-14X20-5/CS	997020	0			0
	PAD-WHITE-14X20-5/CS	997023	0			0
Battery						
57	BATT 12V-96Ah AGM C5	559503252	2			
	BATTERY DISCOVER 12V 84AH	1464853000	2			0



	Accessories	Ref. no.	Min. required	AS5160T W130 OBC PH	AS5160T A140 OBC PH	AS5160TO 130 AH WET BATTERIES
Other						
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0			0
Squeegee Bla	ade					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1			•
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1			0
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1			•
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1			0
Disc Brush						
	BRUSH DISC 510MM 20 PPL	VF90417	1			
Pad Holder						
	PAD HOLDER 508MM 20	VF90416	1			
(0)	PAD HOLDER RETAINER 508MM 20	VF90454	1			
Squeegee, B	ade, Skirt and Splash Guard					
\bigcirc	SPLASHGUARD KIT 510MM 20	VS10151	1			0
On-Board Ch	arger					
€.	CHARGER 24V 10A	VR27041	1			0



Accessories	Ref. no.	Min. required	AS5160T W130 OBC PH	AS5160T A140 OBC PH	AS5160TO 130 AH WET BATTERIES
CHARGER 24V 13A US	VS13260	0			•

 \bullet Standard equipment, ${}^{\bigcirc}$ Supplementary accessories, ${}^{\square}$ Mountable equipment

	Accessories Accessories	Ref. no.	Min. required	AS5160TO 140 AH AGM BATTERIES
Pad Boost				
	PAD-BLACK-14X20-5/CS	997022	0	0
	PAD-BLUE-14X20-5/CS	997021	0	0
	PAD-MAROON-14X20-10/CS	997024	0	0
	PAD-RED-14X20-5/CS	997020	0	0
	PAD-WHITE-14X20-5/CS	997023	0	0
Battery				
	BATT 12V-96Ah AGM C5	559503252	2	
	BATTERY DISCOVER 12V 84AH	1464853000	2	0
Other				
	VELCRO 2 SIDED SHT14X20 BOOST	30793A	0	0
Squeegee Bla	ade			
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	0



	Accessories	Ref. no.	Min. required	AS5160TO 140 AH AGM BATTERIES	
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•	
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	0	
Disc Brush					
	BRUSH DISC 510MM 20 PPL	VF90417	1		
Pad Holder					
	PAD HOLDER 508MM 20	VF90416	1		
	PAD HOLDER RETAINER 508MM 20	VF90454	1		
Squeegee, Bl	ade, Skirt and Splash Guard				
\bigcirc	SPLASHGUARD KIT 510MM 20	VS10151	1		
On-Board Charger					
€.	CHARGER 24V 10A	VR27041	1		
	CHARGER 24V 13A US	VS13260	0	•	

