

Walk-Behind Floor Scrubbers

Powerful, compact and user-friendly floor care

The AS430C/AS510B are simple to use medium-sized walk-behind scrubber dryers. The perfect solution for scrubbing and drying in mid-sized and heavy-traffic areas.

Benefits of AS430C/AS510B Walk-Behind Floor Scrubbers

Suitable for cleaning in middle sized areas of hotels, restaurants, schools, shopping malls and other retail outlets, as well as hospitals and metro/train stations.

- 17 inch cord electric model (AS430C)
- 20 inch battery operated model (AS510B)
- 13 gallon solution and recovery tanks (AS430C)
- 10.5 gallon solution and recovery tanks (AS510B)
- Excellent for small spaces
- Pad/Brush assist drive
- One-pass cleaning
- 5-year parts and 2-year labor warranty



Picture shown may not represent model quoted

• Standard equipment

Included accessories		Ref. no.	Min. required	AS510B-US 20INCH SCRUBBER 24V	AS430C-US 17INCH SCRUBBER CABLE 120V	AS510B-US 20IN SCRUBBER 24V PH
Disc Brush						
	BRUSH DISC 510MM 20 PPL	VF90417	1	•		
Disc Brush 430 mm						
	BRUSH DISC 430MM 17 PPL	VF90411	1		•	
Squeegee Blade						
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	•		
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	•		
Battery						
	BATT 12V-96Ah AGM C5	559503252	0	•		
Squeegee, Blade, Skirt and Splash Guard						



Walk-Behind Floor Scrubbers

Included accessories	Ref. no.	Min. required	AS510B-US 20INCH SCRUBBER 24V	AS430C-US 17INCH SCRUBBER CABLE 120V	AS510B-US 20IN SCRUBBER 24V PH
 BLADE SQUEEGEE FRONT RUBBER 730MM 28.5	VF90103	1		•	
 BLADE SQUEEGEE REAR RUBBER 730MM 28.5	VF90104	1		•	

Model	AS510B-US 20INCH SCRUBBER 24V	AS430C-US 17INCH SCRUBBER CABLE 120V	AS510B-US 20IN SCRUBBER 24V PH
Ref. no.	50000243	50000226	56384775

PRODUCT FEATURES

Hour meter	•		
Cable version		•	
Battery version	•		
Recovery emptying hoses	•	•	
Water level indicator	•		
Battery included	•		

Technical specifications	AS510B-US 20INCH SCRUBBER 24V	AS430C-US 17INCH SCRUBBER CABLE 120V	AS510B-US 20IN SCRUBBER 24V PH
Cable length (M)/ plug type	N/A	20	
Brush motor (W)	560	750	
Vacuum motor power (W)	350	400	
Battery type	2X12V 105Ah/C20 AGM	N/A	
Vacuum (MMH2O)	1200	1200	
Sound pressure level (dB(A))	70	72	
Productivity rate ft²/hr (M²/HR)	22,604 sq ft	17,222 sq ft	
Solution tank (L)	10.5gall	13gal	
Recovery tank (L)	10.5gall	13gal	
Squeegee width (MM)	31in	28,7in	
Brush/pad diameter (MM)	20in	17in	
Brush pressure (KG)	77lb	77lb	
Brush speed (RPM)	150	160	
Dimensions lwxwxh (MM)	47x24x46in	47x24x46in	47x24x46in
Battery compartment size (LXWXH) (MM)	340x330x260mm	N/A	



Walk-Behind Floor Scrubbers

Technical specifications

	AS510B-US 20INCH SCRUBBER 24V	AS430C-US 17INCH SCRUBBER CABLE 120V	AS510B-US 20IN SCRUBBER 24V PH
Max loading weight (KG)	370lbs	335lbs	
Net weight (KG)	282lbs	250lbs	

● Standard equipment, ○ Supplementary accessories, □ Mountable equipment

Accessories	Ref. no.	Min. required	AS510B-US 20INCH SCRUBBER 24V	AS430C-US 17INCH SCRUBBER CABLE 120V	AS510B-US 20IN SCRUBBER 24V PH
Battery					
	BATT 12V-96Ah AGM C5	559503252	0	●	
	BATT.12V-70Ah AGM C5	80565521	2		
	BATT. 12V-76AH GEL MONOBLOC	80564310	2		
	BATTERY DISCOVER 12V 84AH	1464853000	2		
Squeegee, Blade, Skirt and Splash Guard					
	BLADE SQUEEGEE FRONT PU 730MM 28.5	VF90146	1		○
	BLADE SQUEEGEE FRONT RUBBER 730MM 28.5	VF90103	1		●
	BLADE SQUEEGEE REAR PU 730MM 28.5	VF90147	1		○
	BLADE SQUEEGEE REAR RUBBER 730MM 28.5	VF90104	1		●
Squeegee Blade					
	BLADE SQUEEGEE FRONT GUM RUBBER 790MM 31	VF90119	1	●	



Walk-Behind Floor Scrubbers

Accessories		Ref. no.	Min. required	AS510B-US 20INCH SCRUBBER 24V	AS430C-US 17INCH SCRUBBER CABLE 120V	AS510B-US 20IN SCRUBBER 24V PH
	BLADE SQUEEGEE FRONT PU 790MM 31	VF90148	1	○		
	BLADE SQUEEGEE REAR GUM RUBBER 790MM 31	VF90120	1	●		
	BLADE SQUEEGEE REAR PU 790MM 31	VF90149	1	○		
Disc Brush 430 mm						
	BRUSH DISC 430MM 17 PPL	VF90411	1		●	
Disc Brush						
	BRUSH DISC 510MM 20 PPL	VF90417	1	●		
Pad Holder						
	PAD HOLDER 508MM 20	VF90416	1			
	PAD HOLDER RETAINER 508MM 20	VF90454	1	○		
Pad						
	PAD HOLDER RETAINER 430MM 17	VF90453	1		○	

